

Trip List - Ecuador W slope and Amazon to Andes 3-25 Feb 2008 guided by Boris Herrera (compiled by Erling Jirle)

All birds were seen if not "heard" is stated. For example "1+4 heard" means 1 seen+4 heard.

If no location is mentioned it's a daily total, mostly birds counted en route or a sum of several localities.

The taxonomy follows Clements *Birds of the World – A Checklist*. Sixth Edition. 2007, plus updates 2007- 2008 at the website of this book. American spelling is changed to British (e.g. Gray > Grey, -colored > -coloured).

Subspecies name (also called race) is added after species name when only one subspecies was recorded during the trip. When several subspecies were identified (mainly based on geographical distribution) they have been added in brackets after listing of localities. When subspecies distribution is unclear it has been omitted.

Taxonomic notes are added in angle brackets [] under species names.

Reference books; see the reference list in the general info chapter above.

Great Tinamou *Tinamus major*

Heard Río Palenque 9.2, heard Manga Loma 10.2, heard Canandé 11.2 (ssp. *latifrons*).
2 Napo WC 15.2 (ssp. *peruvianus*).

Tawny-breasted Tinamou *Nothocercus julius*

2 heard Yanacocha 2.2.

Berlepsch's Tinamou *Crypturellus berlepschi* (Chocó endemic)

1 Lower Milpe Road 7.2

Cinereous Tinamou *Crypturellus cinereus*

Heard Napo WC 15.2.

Little Tinamou *Crypturellus soui*

1-3 heard daily on the western slope 8-12.2 (ssp. *harteri*). 1 Sani 17.2, heard there 18.2, 1 heard Loreto Road 20.2 and 1 heard El Para 21.2 (ssp. *nigriceps*).

Undulated Tinamou *Crypturellus undulatus yapura*

2 heard Napo WC 14.2, 2 heard there 16.2 and 2 Sani 17.2.

Bartlett's Tinamou *Crypturellus bartletti*

Heard Napo WC 15-16.2.

Curve-billed Tinamou *Nothoprocta curvirostris curvirostris*

1 Calicalí 2.2.

Silvery Grebe *Podiceps occipitalis juninensis*

[This form may prove to be a monotypic species, Northern Silvery Grebe]

10 Embalse La Mica, Antisana 13.2.

Neotropic Cormorant *Phalacrocorax brasilianus brasilianus*

3 Puerto Quito 8.2, 2 10.2, 1 Sani 17.2 and 1 18.2.

Anhinga *Anhinga anhinga anhinga*

2 Napo WC 14.2 and 2 there 15.2.

Magnificent Frigatebird *Fregata magnificens*

10 Bonaire (The Netherlands Antilles) 26.2.

Cocoi Heron *Ardea cocoi*

2 Río Napo 16.2 and 2 there 18.2.

Great Egret *Ardea alba egretta*

1 Puerto Quito 8.2, 1 en route 9.2, 5 Río Napo 14.2, 2 there 16.2 and 10 there 18.2.

Snowy Egret *Egretta thula*

2 Río Palenque 9.2, 1 12.2, 5-10 Río Napo 14-18.2. 1 Bonaire (The Netherlands Antilles) 26.2.

Cattle Egret *Bubulcus ibis ibis*

2 Lower Milpe Road 7.2, 200 8.2, 30 9.2, 3 10.2 and 100 18.2.

Striated Heron *Butorides striata striata*

1 10.2, 4 12.2, 1 Napo WC 14.2, 2 Río Napo 17.2 and 1 there 18.2.

Boat-billed Heron *Cochlearius cochlearius cochlearius*

1 Napo WC 14.2, 1 there 15.2 and 2 there 16.2.

Fasciated Tiger-Heron *Tigrisoma fasciatum salmoni*

1 juv Lower Milpe Road 7.2.

Rufescent Tiger-Heron *Tigrisoma lineatum lineatum*

1 + 3 heard Napo WC 14.2, 3 heard there 15.2, 2 heard there 16.2 and 1 heard Sani 18.2.

Zigzag Heron *Zebrilus undulatus*

2 heard at the entrance creek to Napo WC 14.2. 1 ad + 1 juv there 16.2. One of the trip highlights.

Least Bittern *Ixobrychus exilis*

[Subspecific status of birds from E Ecuador unclear; sometimes assigned separate race *limoncochae*]

1 Sani 17.2.

Andean Ibis *Theristicus branickii*

[A split from Black-faced Ibis, *Th. melanopis*, based mainly on ecological evidence]

20 Antisana 13.2.

Roseate Spoonbill *Platalea ajaja*

1 Río Napo 16.2 and 18.2.

Torrent Duck *Merganetta armata colombiana*

1 en route 20.2, 1 pair Guango 23.2 and 3 en route 23.2.

Speckled Teal *Anas flavirostris andinum*

[Two northern subspecies, *altipetens* and *andinum* sometimes separated as Andean Teal, *A. andinum*]

20 Antisana 13.2, 1 Las Antenas, Papallacta Pass 23.2 and 5 there 25.2.

Yellow-billed Pintail *Anas georgica spinicauda*

6 Antisana 13.2.

Blue-winged Teal *Anas discors*

6 Embalse La Mica, Antisana 13.2.

Andean Duck *Oxyura ferruginea*

6 Embalse La Mica, Antisana 13.2.

Black Vulture *Coragyps atratus*

Common. Seen 19 days of 25. Highest number 200 14.2.

Turkey Vulture *Cathartes aura*

Less common than former. Highest number 50 8.2. Ssp. *jota* in the west and in the highlands. From Andean east slope and eastwards ssp. *ruficollis*.

Greater Yellow-headed Vulture *Cathartes melambrotus*

5-10 daily in the Amazonas.

Andean Condor *Vultur gryphus*

1 Antisana 13.2.

King Vulture *Sarcoramphus papa*
2 Canandé 11.2 and 3 Napo WC 15.2.

Osprey *Pandion haliaetus carolinensis*
1 Río Napo 15.2 and 1 there 16.2.

Swallow-tailed Kite *Elanoides forficatus yetapa*
Widespread in low numbers except in the highlands. Highest number 15 18.2.

Pearl Kite *Gampsonyx swainsonii magnus*
1 en route 8.2, 1 Río Palenque 8.2 and 1 en route 9.2.

White-tailed Kite *Elanus leucurus leucurus*
1 en route 8.2 and 1 en route 18.2.

Snail Kite *Rostrhamus sociabilis sociabilis*
1-4 daily in Napo WC 14-16.2.

Double-toothed Kite *Harpagus bidentatus bidentatus*
1-4 daily in the Amazonas 14-18.2.

Plumbeous Kite *Ictinia plumbea*
3 Manga Loma 10.2, 1 Canandé 10.2, 1 Napo WC 14.2, 4 there 15.2, 2 en route 18.2 and 2 Archidona 21.2.

Cinereous Harrier *Circus cinereus*
1 Antisana 13.2.

Plain-breasted Hawk *Accipiter ventralis*
1 Nono Road 3.2, 1 Refugio Paz de las Aves 6.2 and 1 Septimo Paraiso 6.2.

Bicoloured Hawk *Accipiter bicolor bicolor*
2 Napo WC 16.2.

Plumbeous Hawk *Leucopternis plumbeus*
1 Canandé 11.2.

Slate-coloured Hawk *Leucopternis schistaceus*
1 Napo WC 15.2 and 1 Sani 18.2.

Barred Hawk *Leucopternis princeps*
2 Refugio Paz de las Aves 6.2 and 1 Guacamayos 22.2.

Great Black-Hawk *Buteogallus urubitinga urubitinga*
2 Canandé 11.2.

Savanna Hawk *Buteogallus meridionalis*
1 en route 8.2.

Harris's Hawk *Parabuteo unicinctus harrisi*
4 Guayabamba 2.2 and 1 Quito 25.2.

Black-chested Buzzard-Eagle *Geranoaetus melanoleucus australis*
3 Antisana a 13.2.

Roadside Hawk *Buteo magnirostris magnirostris*
Widespread except in the highlands. Seen 17 days of 25. Highest number 5 22.2.

Broad-winged Hawk *Buteo platypterus platypterus*
3 Bellavista 4.2, 2 there 5.2, 3 Refugio Paz de las Aves 6.2, 8 San Isidro 22.2 and 5 there 24.2.

White-rumped Hawk *Buteo leucorrhous*

1 San Isidro 22.2 and 2 there 24.2.

Puna Hawk *Buteo poecilochrous*

[Previously considered conspecific with Red-backed Hawk, *B. polyosoma*, then called Variable Hawk]

2 Antisana 13.2, 5 Las Antenas, Papallacta Pass 23.2 and 4 there 25.2.

Zone-tailed Hawk *Buteo albonotatus*

1 Loreto 18.2.

Crested Eagle *Morphnus guianensis*

1 dark morph ad at the Cotinga trail, Napo WC 15.2, eating a Pygmy Anteater. Observed within 20 meters distance!!

Black Hawk-Eagle *Spizaetus tyrannus serus*

1 subad at the Canopy Tower, Napo WC 15.2.

Black Caracara *Daptrius ater*

1 Napo WC 14.2, 3 Río Napo 16.2, 1 there 18.2 and 1 en route 20.2.

Carunculated Caracara *Phalcoboenus carunculatus*

50 Antisana 13.2 and 1 en route 25.2.

Yellow-headed Caracara *Milvago chimachima*

5 Napo 14.2, 5 Río Napo 16.2 and 10 there 18.2.

Laughing Falcon *Herpetotheres cachinnans cachinnans*

1 Manga Loma 10.2, 2 Canandé 12.2, 1 Napo 15.2, 1 heard Río Napo 16.2 and 1 heard Sani 18.2.

Barred Forest-Falcon *Micrastur ruficollis*

1 heard Refugio Paz de las Aves 6.2 (ssp. *interstes*). 1 heard Sumaco Trail 20.2 (ssp. *zonothorax*).

Plumbeous Forest-Falcon *Micrastur plumbeus* (Chocó endemic)

1 heard Septimo Paraiso 6.2 and 8.2, 1 Lower Milpe Road 7.2, 1 heard Manga Loma 10.2.

Buckley's Forest-Falcon *Micrastur buckleyi*

1 heard Wildsumaco Reserve 19.2.

American Kestrel *Falco sparverius aequatorialis*

10 Quito 2.2, 1 Nono Road 3.2, 1 6.2, 3 Antisana 13.2 and 1 Quito 25.2.

Aplomado Falcon *Falco femoralis pichincae*

3 Antisana 13.3.

Bat Falcon *Falco rufigularis rufigularis*

1-2 daily in the Amazonas 14-17.2 and 1 Sumaco 19.2.

Speckled Chachalaca *Ortalis guttata guttata*

5 Napo WC 14.2, 2 there 15.2, 2 Sani 16.2 and heard there 18.2.

Spix's Guan *Penelope jacquacu jacquacu*

2 Napo WC 14.2 and 1 Sani 17.2.

Blue-throated Piping-Guan *Pipile cumanensis cumanensis*

1 Napo WC 14.2 and 1 Sani 18.2.

Wattled Guan *Aburria aburri*

1 en route 7.2, 1 heard en route 20.2 and 3 San Isidro 24.2.

Sickle-winged Guan *Chamaepetes goudotii fagani*

1 Bellavista 3.2, 4 there 4.2, 3 there 5.2, 1 Mindo Loma 6.2 and 1 San Isidro 24.2.

Rufous-fronted Wood-Quail *Odontophorus erythrops parambae*
Heard Septimo Paraiso 8.2.

Dark-backed Wood-Quail *Odontophorus melanonotus* (Chocó endemic)
5 Refugio Paz de las Aves 6.2 and heard Septimo Paraiso 8.2.

Rufous-breasted Wood-Quail *Odontophorus speciosus soederstroemii*
Heard Wildsumaco 20.2.

Hoatzin *Opisthocomus hoazin*
20-30 Napo WC 14-15.2 and 5-10 Sani 16-17.2.

Limpkin *Aramus guarauna guarauna*
2 heard Napo WC 15.2 and 1 there 16.2.

Chestnut-headed Crane *Anurolimnas castaneiceps castaneiceps*
1 Sani 17.2.

White-throated Crane *Laterallus albigularis albigularis*
3 heard en route 12.2.

Grey-breasted Crane *Laterallus exilis*
1 heard Loreto 18.2.

Rufous-necked Wood-Rail *Aramides axillaris*
1 heard Río Palenque 8.2.

Grey-necked Wood-Rail *Aramides cajanea cajanea*
1 heard Napo WC 14.2, 1 heard there 16.2 and 1 Sani 17.2.

Purple Gallinule *Porphyrio martinica*
1 en route 12.2.

Azure Gallinule *Porphyrio flavirostris*
3 Sani 17.2.

Slate-coloured (Andean) Coot *Fulica ardesiaca*
70 Embalse La Mica, Antisana 13.2.

Sungrebe *Heliornis fulica*
1 en route 10.2.

Wattled Jacana *Jacana jacana intermedia*
1 en route 18.2.

Pied Lapwing *Vanellus cayanus*
2 Río Palenque 8.2, 1-4 daily at Río Napo 14-18.2.

Southern Lapwing *Vanellus chilensis cayennensis*
6 Sierra Azul Road, San Isidro 24.2.

Andean Lapwing *Vanellus resplendens*
20 Antisana 13.2.

Collared Plover *Charadrius collaris*
5 Río Napo 16.2 and 1 there 17.2.

Greater Yellowlegs *Tringa melanoleuca*
10 Antisana 13.2 and 1 Papallacta 25.2.

Greater Yellowlegs/Lesser Yellowlegs *Tringa melanoleuca/flavipes*
3 Río Napi 18.2.

Spotted Sandpiper *Actitis macularius*

Widespread in low numbers along rivers. Highest number 6 16.2.

Least Sandpiper *Calidris minutilla*

5 Rfo Napo 16.2.

Rufous-bellied Seedsnipe *Attagis gayi latreillii*

[This endemic and distinctive form may be a separate species, Ecuadorian Seedsnipe]

2 Las Antenas, Papallacta Pass 23.2.

Andean Gull *Larus serranus*

100 Antisana 13.2.

Yellow-billed Tern *Sterna superciliaris*

3 Rfo Napo 16.2, 3 there 17.2 and 2 there 18.2.

Large-billed Tern *Phaetusa simplex*

1 Coca 18.2.

Royal Tern *Thalasseus maximus maximus*

10 Bonaire (The Netherlands Antilles) 26.2.

Rock Pigeon *Columba livia* (Introduced)

Widespread in low numbers in cities and villages up to 2850 metres altitude. Seen 10 days of 25.

Scaled Pigeon *Patagioenas speciosa*

2 heard El Para 21.2.

Band-tailed Pigeon *Patagioenas fasciata albilinea*

12 Lower Tandayapa Valley 4.2, 20 Bellavista 5.2, 10 San Isidro 22.2, 8 there 23.2, 30 there 24.2 and 4 Guango Trail 25.2.

Pale-vented Pigeon *Patagioenas cayennensis*

10 Río Palenque 8.2 (ssp. *pallidicrissa*). 3 Napo WC 14.2, 1 there 15.2 and 10 Río Napo 17.2 (ssp. *andersoni*).

Plumbeous Pigeon *Patagioenas plumbea*

5 Bellavista 3.2, 3 there 4.2 and 10 there 5.2 (ssp. *chapmani*). 1-5 daily in the Amazonas and lower foothills 15-20.2 (ssp. *delicata*).

Ruddy Pigeon *Patagioenas subvinacea*

3 Lower Milpe Road 7.2, heard there 9.2, 2 en route 10.2, 3 Canandé 11.2 and 5 there 12.2 (ssp. *berlepschi*). 3 Napo WC 14.2, 2 there 15.2 and heard Wildsumaco 20.2 (ssp. *bogotensis*).

Dusky Pigeon *Patagioenas goodsoni* (Chocó endemic)

1 Río Palenque 8.2, 1 there 9.2, 5 heard Canandé 11.2 and 3 there 12.2.

Eared Dove *Zenaida auriculata*

Common in Quito and the interandean valley (2.2, 13-14.2 and 25.2., ssp. *hypoleuca*).

2 Bonaire (The Netherlands Antilles) 26.2 (ssp. *vinaceorufa*).

Common Ground-Dove *Columbina passerina quitensis*

30 Quito 2.2.

Ecuadorian Ground-Dove *Columbina buckleyi*

20 Río Palenque 8.2, 5 there 9.2, 10 en route 10.2.

Ruddy Ground-Dove *Columbina talpacoti talpacoti*

1 Coca 14.2, 10 en route 18.2 and 5 Loreto Road 21.2.

Blue Ground-Dove *Claravis pretiosa*

5 Río Palenque 8.2.

Black-winged Ground-Dove *Metriopelia melanoptera saturator*
200 Antisana 13.2.

White-tipped Dove *Leptotila verreauxi decolor*
1 Bellavista 3.2 and 1 Lower Tandayapa Valley 4.2.

Grey-fronted Dove *Leptotila rufaxilla dubusi*
2 heard Napo WC 14.2, 3 heard there 15.2, 3 Sani 16.2, 2 there 18.2 and 3 El Para 21.2.

Pallid Dove *Leptotila pallida* (Chocó endemic)
1 Río Palenque 8.2, 3 heard there 9.2, 1 en route 9.2 and 1 Manga Loma 10.2.

Olive-backed Quail-Dove *Geotrygon veraguensis*
2 Great Green Macaw Trail, Canandé 11.2.

White-throated Quail-Dove *Geotrygon frenata*
1 Bellavista 4.2, 1 Lower Tandayapa Valley 4.2 and 1 Lower Milpe Road 7.2 (ssp. *bourcierii*).
1 heard Wildsumaco 20.2 and 2 heard San Isidro 24.2 (ssp. *erythropareia*).

Ruddy Quail-Dove *Geotrygon montana*
1 Napo WC 16.2.

Blue-and-yellow Macaw *Ara ararauna*
10 Napo WC 14.2, 10 there 15.2, 4 Sani 16.2, 2 there 17.2 and 2 there 18.2.

Military Macaw *Ara militaris militaris*
Heard Wildsumaco Lodge 20.2.

Scarlet Macaw *Ara macao macao*
2 Sani 17.2.

Chestnut-fronted Macaw *Ara severus*
2 Napo WC 16.2, 4 Sani 16.2, 20 there 17.2, 10 there 18.2 and 10 Wildsumaco 19.2.

Red-bellied Macaw *Orthopsittaca manilata*
20 Napo WC 14.2, 10 there 15.2, 4 Sani 16.2 and 5 there 17.2.

White-eyed Parakeet *Aratinga leucophthalma callogenis*
20 en route 20.2.

Dusky-headed Parakeet *Aratinga weddellii*
30 Napo WC 16.2 and 10 en route 18.2.

Maroon-tailed Parakeet *Pyrrhura melanura*
[The form *pacifica* is sometimes regarded as a separate species, Chocó Parakeet]
Heard Mindo Loma 6.2, 15 Lower Milpe Road 7.2, 8 Manga Loma 9.2 and 5 there 10.2 (ssp. *pacifica*). Heard
Napo WC 15.2 and 20 Wildsumaco 20.2 (ssp. *melanura*).

Barred Parakeet *Bolborhynchus lineola*
Heard San Isidro 24.2

Pacific Parrotlet *Forpus coelestis*
10 Río Palenque 8.2, 4 Puerto Quito 9.2, 3 en route 10.2, 2 Canandé and 2 en route 12.2.

Cobalt-winged Parakeet *Brotogeris cyanoptera cyanoptera*
30-100 daily in the Amazonas 14-18.2 and 50 Archidona 21.2.

Scarlet-shouldered Parrotlet *Touit huetii*
150 Napo WC 16.2.

Blue-fronted Parrotlet *Touit dilectissimus*

14 Botorosa Road, Canandé 12.2.

Black-headed Parrot *Pionites melanocephalus pallidus*

8 Napo WC 15.2 and 3 Sani 18.2.

Rose-faced Parrot *Pionopsitta pulchra* (Chocó endemic)

15 Lower Milpe Road 7.2, heard there 9.2, heard Canandé 10.2, 2 there 11.2 and 12.2.

Orange-cheeked Parrot *Pionopsitta barrabandi barrabandi*

30 Napo WC 16.2.

Blue-headed Parrot *Pionus menstruus*

Heard Río Palenque 8.2, 10 Canandé 10.2, 3 there 11.2 and 5 there 12.2 (ssp. *rubrigularis*).

40 Napo WC 15.2, 100 there 16.2 and 5 there 17.2 (ssp. *menstruus*).

Red-billed Parrot *Pionus sordidus corallinus*

2 Bellavista 3.2, 2 Séptimo Paraíso 5.2, heard Mindo Loma 6.2, 3 Sumaco Trail 19.2 and 25 San Isidro 24.2.

Speckle-faced Parrot *Pionus tumultuosus seniloides*

[The form *seniloides* previously regarded as separate species (White-capped Parrot), but differences between them slight and superficial.]

10 San Isidro 24.2.

Bronze-winged Parrot *Pionus chalcopterus*

20 Lower Milpe Road 7.2, 6 there 9.2 and 3 Canandé 12.2.

Yellow-crowned Parrot *Amazona ochrocephala nattereri*

30 Napo WC 16.2 and 6 Sani 18.2.

Orange-winged Parrot *Amazona amazonica amazonica*

2-10 daily in the Amazonas 14-18.2.

Scaly-naped Parrot *Amazona mercenaria*

24 Lower Tandayapa Valley 4.2, 2 heard Sumaco Trail 19.2, 2 San Isidro 22.2 and 2 there 24.2.

Mealy Parrot *Amazona farinosa farinosa*

15-150 daily in the Amazonas 15-18.2.

Squirrel Cuckoo *Piaya cayana*

Widespread in low numbers. Highest number 5 Río Palenque 8.2. Ssp. *nigricrissa* in the west and *mesurain* in the east.

Greater Ani *Crotophaga major*

10-30 daily in the Amazonas 14-18.2.

Smooth-billed Ani *Crotophaga ani*

Fairly common in the foothills and lowlands. Highest number 50 18.2.

Smooth-billed/Groove-billed Ani *Crotophaga ani/sulcirostris*

10 8.2, 20 9.2 and 30 10.2.

Striped Cuckoo *Tapera naevia naevia*

1 en route 8.2, 1 en route 9.2 and 2 en route 10.2.

Banded Ground-Cuckoo *Neomorphus radiolosus* (Chocó endemic)

1 heard Manga Loma 10.2.

Tropical Screech-Owl *Megascops choliba crucigerus*

1 heard Napo WC 14.2, 2 heard there 15.2, 1 heard Napo 16-18.2 and 1 Wildsumaco 18.2.

Rufescent Screech-Owl *Megascops ingens ingens*

1 heard Wildsumaco 20.2.

Tawny-bellied Screech-Owl *Megascops watsonii watsonii*

1 heard Napo WC 15.2 and 1 heard Sani 17-18.2.

Black-and-white Owl *Ciccaba nigrolineata*

1 heard Manga Loma Guesthouse 10.2.

Black-banded Owl *Ciccaba huhula* ssp.

[Undescribed subspecies or perhaps even a new species; "San Isidro Owl". Molecular biology studies are in progress.]

1 Cabañas San Isidro 23.2 and 1 heard here 24.2.

Rufous-banded Owl *Ciccaba albitarsis*

2 heard Cabañas San Isidro 24.2.

Crested Owl *Lophotrix cristata*

1 heard Manga Loma 9-10.2 (ssp. *wedeli*). 1 heard Sani 17-18.2 (ssp. *cristata*).

Spectacled Owl *Pulsatrix perspicillata perspicillata*

2 Sani 17.2.

Band-bellied Owl *Pulsatrix melanota melanota*

[Possibly better treated as monotypic]

2 Wildsumaco 18.2 and 1 there 20.2.

Ferruginous Pygmy-Owl *Glaucidium brasilianum*

[Probably ssp. *ucayalae*, but racial allocation in Ecuador uncertain]

1 Napo WC 15.2 + 2 heard there 15-16.2, 2 heard Sani 17.2 and 1 heard there 18.2.

Burrowing Owl *Athene cunicularia pichinchae*

1 Guayabamba 2.2 and 1 Calacalí 2.2.

Great Potoo *Nyctibius grandis*

1 heard Napo 16.2 and 1 Sani 19-20.2.

Long-tailed Potoo *Nyctibius aethereus longicaudatus*

1 heard Sani 18.2.

Common Potoo *Nyctibius griseus*

1 Bellavista 3.2 (ssp. *panamensis*). 1 heard Napo WC 15-16.2 (ssp. *griseus*).

Rufous Potoo *Nyctibius bracteatus*

1 female Sani 17.2. Known from this site since 3 years.

Short-tailed Nighthawk *Lurocalis semitorquatus noctivagus*

1 Botorosa Road, Canandé 12.2.

Rufous-bellied Nighthawk *Lurocalis rufiventris*

2 Bellavista Lodge 4.2 and 1 Refugio Paz de las Aves 6.2.

Pauraque *Nyctidromus albicollis albicollis*

1 Río Palenque 8.2, 1 heard Manga Loma 9-10.2, 3 Napo WC 14.2, 1 heard there 15.2, 2 heard there 16.2, 1 heard Sani 16.2, 1 heard there 17.2, 2 Wildsumaco 18.2 and 1 heard there 20.2.

Ladder-tailed Nightjar *Hydropsalis climacocerca climacocerca*

4 Río Napo 16.2, 5 there 17.2 and 1 there 18.2.

Chestnut-collared Swift *Streptoprocne rutila brunnitorques*

20 Séptimo Paraíso 5.2, 5 Refugio Paz de las Aves 6.2, 10 en route 18.2, 50 en route 20.2, 50 22.2, 10 23.2 and 20 24.2.

White-collared Swift *Streptoprocne zonaris subtropicalis*
Common. Highest number 100 8.2 and 23.2.

Band-rumped Swift *Chaetura spinicaudus aetherodroma*
30 Lower Milpe Road 7.2 and 10 Río Palenque 8.2.

Grey-rumped Swift *Chaetura cinereiventris occidentalis*
10 Lower Milpe Road 7.2 and 20 Río Palenque 8.2.

Band-rumped/Grey-rumped Swift *Chaetura spinicaudu / cinereiventris*
10 9.2, 20 10.2, 100 12.2 and 5 Sani 16.2.

Short-tailed Swift *Chaetura brachyura brachyura*
Up to 200 daily in the Amazonas 14-18.2, 20 en route 20.2 and 10 Archidona 21.2.

Fork-tailed (Neotropical) Palm-Swift *Tachornis squamata semota*
Up to 100 daily in the Amazonas 14-18.2, 1 en route 20.2 and 1 Archidona 21.2.

Lesser Swallow-tailed Swift *Panyptila cayennensis cayennensis*
10 Lower Milpe Road 7.2, 5 Río Palenque 8.2, 1 Sani 17.2 and 2 en route 18.2.

White-tipped Sicklebill *Eutoxeres aquila heterurus*
1 Canandé 11.2.

Buff-tailed Sicklebill *Eutoxeres condamini condamini*
1 heard Wildumaco 20.2.

Rufous-breasted Hermit *Glaucis hirsutus hirsutus*
1 Napo WC 14.2 and 1 El Para 21.2.

Band-tailed Barbthroat *Threnetes ruckeri ruckeri*
3 Río Palenque 8.2 and 1 Canandé 11.2.

White-whiskered Hermit *Phaethornis yaruqui* (Chocó endemic)
1 Séptimo Paraíso 5.2, 8 Milpe Road 7.2, 3 Los Bancos 9.2, 2 Canandé 10.2, 3 there 11.2 and 1 there 12.2.

Green Hermit *Phaethornis guy apicalis*
4 Wildsumaco 19.2 and 1 there 20.2.

White-bearded Hermit *Phaethornis hispidus*
2 Napo WC 16.2 and 1 El Para 21.2.

Western Long-tailed Hermit *Phaethornis longirostris baroni*
[Split from Eastern Long-tailed Hermit, *Ph. superciliosus*. Some forms currently listed as subspecies, like *baroni* are well differentiated, and future studies may result in specific separation]
3 Río Palenque 8.2 and 3 there 9.2.

Great-billed Hermit *Phaethornis malaris moorei*
3 Napo WC 16.2.

Tawny-bellied Hermit *Phaethornis syrmatorphorus syrmatorphorus*
7 Bellavista 5.2 and 2 Refugio Paz de las Aves 6.2.

Straight-billed Hermit *Phaethornis bourcieri bourcieri*
2 Sani 17.2 and 4 21.2.

Stripe-throated Hermit *Phaethornis striigularis subrufescens*
[A split from Little Hermit, *Ph. longuemareus*]
1 Milpe 7.2, 1 Río Palenque 8.2 and 1 Canandé 12.2.

Grey-chinned Hermit *Phaethornis griseogularis griseogularis*
2 Wildsumaco 19.2 and 1 there 20.2.

Tooth-billed Hummingbird *Androdon aequatorialis*
1 Manga Loma 10.2 and 1 Canandé 11.2.

Green-fronted Lancebill *Doryfera ludovicae ludovicae*
1 San Isidro 22.2.

Blue-fronted Lancebill *Doryfera johannae johannae*
1 Wildsumaco 19.2.

Grey-breasted Sabrewing *Campylopterus largipennis aequatorialis*
1 Napo WC 14.2, 1 there 15.2 and 1 Archidona 21.2.

Napo Sabrewing *Campylopterus villaviscensio*
4 Wildsumaco 19.2 and 1 there 20.2.

White-necked Jacobin *Florisuga mellivora mellivora*
2 Séptimo Paraíso 5.2, 2 there 6.2, 5 Canandé 10.2 and 5 there 11.2.

Brown Violet-ear *Colibri delphinae*
1 Séptimo Paraíso 6.2.

Green Violet-ear *Colibri thalassinus cyanotus*
3 Wildsumaco 19.2, 2 San Isidro 22.2 and 2 there 24.2.

Sparkling Violet-ear *Colibri coruscans coruscans*
20 2.2, 5 Yanacocha 3.2, 2 Antisana 13.2, 10 Wildsumaco 19.2, 10 there 20.2, 5 San Isidro 22.2, 2 Guango Lodge 23.2, 4 San Isidro 24.2 and 2 Quito 25.2.

Ruby-topaz Hummingbird *Chrysolampis mosquitus*
2 Bonaire (The Netherlands Antilles) 26.2.

Violet-headed Hummingbird *Klais guimeti guimeti*
4 Wildsumaco 19.2 and 2 there 20.2.

Wire-crested Thorntail *Popelairia popelairii*
1 Wildsumaco 19.2 and 1 there 20.2.

Black-bellied Thorntail *Popelairia langsdorffi melanosternon*
1 female Sani 16.2.

Green Thorntail *Discosura conversii*
1 female Los Bancos 9.2.

Blue-tailed Emerald *Chlorostilbon mellisugus*
[Taxonomy highly complex and uncertain: present species has been considered to comprise from two to as many as eight different species. BoE splits western forms to Western Emerald, *Ch. melanorhynchus*, a Chocó endemic] 5 Guayabamba 2.2, 1 El Para 21.2 and 3 Quito 25.2 (ssp. *melanorhynchus*). 1 Napo 14.2 and 1 Sani 17.2 (ssp. *napensis*).

Green-crowned Woodnymph *Thalurania fannyi*
4 Séptimo Paraíso 5.2, 2 there 6.2, 8 Milpe Road 7.2, 4 Los Bancos 9.2 (ssp. *verticeps*). 3 Canandé 10.2, 3 there 11.2 and 1 Río Palenque 8.2 (ssp. *hypochlora*).

Fork-tailed Woodnymph *Thalurania furcata viridipectus*
10 Wildsumaco 19.2 and 3 there 20.2.

Violet-bellied Hummingbird *Damophila julie feliciana*
3 Río Palenque 8.2, 1 there 9.2 and 2 Canandé 10.2.

Golden-tailed Sapphire *Chrysuronia oenone oenone*

10 Wildsumaco 19.2.

Olive-spotted Hummingbird *Leucippus chlorocercus*
2 on a small island in Río Napo 17.2.

Many-spotted Hummingbird *Leucippus hypostictus*
1 Wildsumaco 19.2.

Rufous-tailed Hummingbird *Amazilia tzacatl jacunda*
Common on the Pacific slope 4-12.2. Highest number 30 9.2.

Andean Emerald *Agyrtria franciae viridiceps*
Fairly common on upper Pacific slope.

Glittering-throated Emerald *Polyerata fimbriata fluviatilis*
1 Sani 16.2.

Blue-chested Hummingbird *Polyerata amabilis*
1 Lower Milpe Road 7.2 and 1 Río Palenque 8.2.

Purple-chested Hummingbird *Polyerata rosenbergi* (Chocó endemic)
3 Río Palenque 8.2, 5 Canandé 10.2, 3 there 11.2 and 2 there 12.2.

Ecuadorian Piedtail *Phlogophilus hemileucurus*
3 Wildsumaco 19.2 and 1 there 20.2.

Speckled Hummingbird *Adelomyia melanogenys*
10 Bellavista 3.2, 20 there 4.2, 20 there 5.2 and 3 Séptimo Paraíso 6.2 (ssp. *maculata*). 15 22.2, 5 Guango Lodge 23.2 and 10 San Isidro 24.2 (ssp. *melanogenys*).

Gould's Jewelfront *Heliodoxa aurescens*
2 Wildsumaco 19.2.

Fawn-breasted Brilliant *Heliodoxa rubinoides*
4 Bellavista 3.2, 5 there 4.2, 10 Mindo Loma 4.2, 10 Bellavista 5.2 and 5 Mindo Loma 6.2 (ssp. *aequatorialis*).
10 Guacamayos 22.2 and 5 San Isidro 24.2 (ssp. *cervinigularis*).

Violet-fronted Brilliant *Heliodoxa leadbeateri sagitta*
1 heard Wildsumaco 19.2 and 1 heard 22.2.

Black-throated Brilliant *Heliodoxa schreibersii schreibersii*
1 Napo 16.2, 1 heard Wildsumaco 19.2 and 1 there 20.2.

Empress Brilliant *Heliodoxa imperatrix* (Chocó endemic)
5 Mindo Loma 4.2, 4 there 6.2 and 2 Refugio Paz de las Aves 6.2.

Green-crowned Brilliant *Heliodoxa jacula jamesoni*
2 Séptimo Paraíso 5.2, 2 there 6.2, 10 Lower Milpe Road 7.2 and 5 Los Bancos 9.2.

White-tailed Hillstar *Urochroa bougueri*
2 Mindo Loma 4.2 (ssp. *bougueri*). 1 Wildsumaco 20.2, 1 22.2 and 1 en route 23.2 (ssp. *leucura*).

Chestnut-breasted Coronet *Boissonneaua matthewsii*
7 22.2, 7 23.2 and 10 San Isidro 24.2.

Buff-tailed Coronet *Boissonneaua flavescens tinochlora*
20 Bellavista 3.2, 50 there 4.2, 50 there 5.2, 50 6.2 and 2 Guango 23.2.

Velvet-purple Coronet *Boissonneaua jardini* (Chocó endemic)
15 Mindo Loma 4.2, 10 there 6.2, 2 Séptimo Paraíso 5.2, 2 there 6.2, 2 Refugio Paz de las Aves 6.2 and 1 Los Bancos 9.2.

Shining Sunbeam *Aglaeactis cupripennis cupripennis*
1 Papallacta 25.2.

Chimborazo Hillstar (Ecuadorian Hillstar) *Oreotrochilus chimborazo jamesonii*
4 Antisana 13.2.

Mountain Velvetbreast *Lafresnaya lafresnayi saul*
2 Yanacocha 3.2 and 2 Las Antenas, Papallacta Pass 23.2.

Bronzy Inca *Coeligena coeligena obscura*
3 San Isidro 22.2, 1 Guacamayos 22.2 and 5 San Isidro 24.2.

Brown Inca *Coeligena wilsoni* (Chocó endemic)
3 Mindo Loma 4.2, 2 there 6.2, 1 Bellavista 4.2, 2 Séptimo Paraíso 5.2, 1 there 6.2 and 2 Refugio Paz de las Aves 6.2.

Collared Inca *Coeligena torquata*
4 Bellavista 3.2, 4 there 4.2 and 6 there 5.2 (ssp. *fulgidigula*). 5 Guacamayos 22.2, 3 San Isidro 22.2 and 5 there 24.2 (ssp. *torquata*).

Buff-winged Starfrontlet *Coeligena lutetiae*
20 Yanacocha 3.2 and 2 Guango 23.2.

Sword-billed Hummingbird *Ensifera ensifera*
20 Yanacocha 3.2 and 5 Guango 23.2.

Great Sapphirewing *Pterophanes cyanopterus peruvianus*
3 Yanacocha 3.2 and 2 Papallacta 25.2.

Giant Hummingbird *Patagona gigas peruviana*
2 Guayabamba 2.2.

Gorgeted Sunangel *Heliangelus strophianus* (Chocó endemic)
3 Bellavista 3.2, 4 there 4.2 and 7 there 5.2.

Tourmaline Sunangel *Heliangelus exortis*
30 Guango 23.2.

Black-breasted Puffleg *Eriocnemis nigrivestis* (Ecuadorian endemic)
1 female Yanacocha 3.2.

Glowing Puffleg *Eriocnemis vestita smaragdinipectus*
3 Guango 23.2.

Sapphire-vented Puffleg *Eriocnemis luciani luciani*
3 Yanacocha 3.2 and 1 Nono Road 3.2.

Golden-breasted Puffleg *Eriocnemis mosquera*
3 Yanacocha 3.2.

Hoary Puffleg *Haplophaedia lugens* (Chocó endemic)
1 Mindo Loma 6.2.

Purple-bibbed Whitetip *Urosticte benjamini* (Chocó endemic)
1 Bellavista 4.2, 2 there 5.2, 1 Lower Tandayapa Valley 4.2, 1 Séptimo Paraíso 5.2, 2 there 6.2, and 1 Refugio Paz de las Aves 6.2.

Booted Racket-tail *Ocreatus underwoodii melanatherus*
10 Bellavista 3.2, 10 there 4.2, 20 there 5.2, 10 Lower Tandayapa Valley 4.2, 20 Séptimo Paraíso 5.2, a total of 50 6.2 and 5 Wildsumaco 19.2.

Black-tailed Trainbearer *Lesbia victoriae victoriae*

3 Calacalí 2.2.

Green-tailed Trainbearer *Lesbia nuna gracilis*

3 Nono Road 3.2.

Purple-backed Thornbill *Ramphomicron microrhynchum microrhynchum*

1 male Antisana 13.2.

Tyrian Metaltail *Metallura tyrianthina tyrianthina*

10 Yanacocha 3.2 and 20 Guango 23.2.

Viridian Metaltail *Metallura williami primolinus*

2 Las Antenas, Papallacta Pass 23.2 and 7 Papallacta 25.2.

Blue-mantled Thornbill *Chalcostigma stanleyi stanleyi*

2 Las Antenas, Papallacta Pass 23.2.

Mountain Avocetbill *Opisthoprora euryptera*

1 Guango Lodge 23.2.

Long-tailed Sylph *Aglaiocercus kingi mocoa*

1 Wildsumaco 19.2, 5 San Idro 22.2, 3 Guacamayos 22.2, 10 Guango 23.2 and 30 San Isidro 24.2.

Violet-tailed Sylph *Aglaiocercus coelestis coelestis* (Chocó endemic)

1 Bellavista 3.2, 10 there 4.2, 10 there 5.2, 20 Mindo Loma 4.2, 1 Lower Tandayapa Valley 4.2, 10 Séptimo Paraíso 5.2 and a total of 30 6.2.

Purple-crowned Fairy *Heliothryx barroti*

1 Canandé 11.2 and 1 there 12.2.

Black-eared Fairy *Heliothryx auritus auriculatus*

1 El Para 21.2.

Long-billed Starthroat *Heliomaster longirostris longirostris*

1 Napo WC 14.2.

Purple-throated Woodstar *Calliphlox mitchellii*

2 Bellavista 3.2, 2 there 4.2, 2 there 5.2, 5 Séptimo Paraíso 5.2, 2 there 6.2 and 4 Refugio Paz de las Aves 6.2.

Purple-collared Woodstar *Myrtis fanny fanny*

5 Guayabamba 2.2.

White-bellied Woodstar *Chaetocercus mulsant*

10 Guango Lodge 23.2.

Gorgeted Woodstar *Chaetocercus heliodor cleavesi*

1 Guango Lodge 23.2.

White-tailed Trogon *Trogon viridis*

[The western form often treated as a separate species; Western White-tailed T., based on plumage differences and strikingly different song. The eastern forms are then called Amazonian White-tailed T.]

2 heard 7.2, 2 Río Palenque 8.2, 3 heard there 9.2, 1 Canandé 11.2 and 2 there 12.2 (ssp. *chionurus*). 1 Napo WC 15.2 and 1 heard Sani 18.2 (ssp. *viridis*).

Violaceous Trogon *Trogon violaceus concinnus*

[Western forms sometimes treated as a separate species; Northern Violaceous T., based on distinct differences in plumage and song. The taxon is then *T. caligatus concinnus*.]

1 heard Milpe 7.2.

White-eyed Trogon (Chocó Trogon) *Trogon comptus* (Chocó endemic)

[Chocó Trogon is a better name since *T. melanurus mesurus* is also white-eyed]

2 Lower Milpe Road 7.2, 1 heard Manga Loma 10.2 and 1 Canandé 11.2.

Collared Trogon *Trogon collaris*

1 Lower Milpe Road 7.2, 2 Río Palenque 8.2, 1 there 9.2 and 2 Manga Loma 10.2 (ssp. *virginalis*). 2 Wildsumaco 20.2 (ssp. *collaris*).

Masked Trogon *Trogon personatus*

[The upper-elevation form *temperatus* may be a separate species, Highland Trogon, based on differences in song, bill size and plumage, but the situation also needs to be analyzed outside Ecuador.]

1 heard Bellavista 4.2 and 1 Mindo Loma 6.2 (ssp. *assimilis*). 2 Guango Lodge 23.2 (ssp. *temperatus*).

Black-throated Trogon *Trogon rufus*

1 Lower Milpe Road 7.2 (ssp. *cupreicauda*). 1 Sani 16.2 and 2 El Para 21.2 (ssp. *sulphureus*).

Black-tailed Trogon *Trogon melanurus*

[Western form *mesurus* sometimes treated as separate species; Ecuadorian T.]

1? Manga Loma 9.2 (ssp. *mesurus*). 2 Napo WC 14.2 (ssp. *eumorphus*).

Crested Quetzal *Pharomachrus antisianus*

2 San Isidro 24.2.

Golden-headed Quetzal *Pharomachrus auriceps auriceps*

1 heard Mindo Loma 4.2, 2 Bellavista 5.2, 3 Séptimo Paraíso 5.2, 1 there 8.2, 2 San Isidro 22.2 and 2 there 24.2.

Ringed Kingfisher *Ceryle torquatus torquatus*

3 en route 12.2, 2 Napo WC 14.2, 3 there 15.2, 1 there 16.2, 1 Río Napo 16.2 and 17.2 and 1 en route 18.2.

Amazon Kingfisher *Chloroceryle amazona*

3 Napo WC 14.2, 1 there 15.2, 1 Sani 18.2 and 1 Archidona 21.2.

Green Kingfisher *Chloroceryle americana cabanasii*

1 Río Palenque 8.2, 1 Canandé 10.2, 1 Napo WC 15.2 and 1 en route 20.2.

Green-and-rufous Kingfisher *Chloroceryle inda*

1 Napo WC 15.2.

American Pygmy Kingfisher *Chloroceryle aenea aenea*

2 Napo WC 15.2 and 1 there 16.2.

Blue-crowned Motmot *Momotus momota*

[The 20 subspecies of *M. momota* may represent two or more species]

1 heard Río Palenque 8.2 (ssp. *argenticinctus*). Fairly common Napo and Sani 14-18.2 (ssp. *microstephanus*).

Highland Motmot *Momotus aequatorialis aequatorialis*

1 heard San Isidro 24.2

Rufous Motmot *Baryphthengus martii*

[The two forms may represent separate species]

1 Lower Milpe Road 7.2, 5 heard Río Palenque 8.2 and 9.2, 5 heard Manga Loma 10.2 and 5 Canandé 11.2 (ssp. *semirufus*). 1 + 2 heard Napo WC 14.2, 1 heard there 16.2 and 1 heard Sani 17.2 (ssp. *martii*).

Highland Motmot / Rufous Motmot *Momotus aequatorialis* / *Baryphthengus martii*

Heard Wildsumaco 19.2.

Broad-billed Motmot *Electron platyrhynchum platyrhynchum*

2 heard Lower Milpe Road 7.2, 1 heard Río Palenque 8.2, 1 heard Manga Loma 9.2, 1 heard there 10.2 and 3 heard Canandé 11.2.

White-eared Jacamar *Galbalcyrhynchus leucotis*

5 Napo WC 14.2.

Rufous-tailed Jacamar *Galbula ruficauda melanogenia*

1 heard Manga Loma 10.2 and 1 Botorosa Road, Canandé 12.2.

Coppery-chested Jacamar *Galbula pastazae*

2 Wildsumaco 20.2.

White-chinned Jacamar *Galbula tombacea tombacea*

7 Napo WC 14.2 and 1 there 15.2.

Purplish Jacamar *Galbula chalcothorax*

2 heard Napo 15.2 and 1 Sani 16.2.

Great Jacamar *Jacamerops aureus penardi*

2 Canandé 11.2.

Pied Puffbird *Notharchus tectus subtectus*

[This western subspecies sometimes treated as separate species]

3 Río Palenque 8.2 and 1 heard there 9.2.

Barred Puffbird *Nystalus radiatus*

2 Botorosa Road, Canandé 12.2.

Striolated Puffbird *Nystalus striolatus striolatus*

1 heard Wildsumaco 20.2.

White-whiskered Puffbird *Malacoptila panamensis poliopis*

2 Lower Milpe Road 7.2 and 2 Canandé 11.2.

Lanceolated Monklet *Micromonacha lanceolata*

1 Canandé 11.2.

Black-fronted Nunbird *Monasa nigrifrons nigrifrons*

15 Napo WC 14.2, 20 heard there 15.2 and 3 heard there 16.2.

White-fronted Nunbird *Monasa morphoeus peruana*

2 Napo WC 15.2, 1 Sani 17.2, 1 there 18.2 and 4 El Para 21.2.

Yellow-billed Nunbird *Monasa flavirostris*

3 El Para 21.2.

Swallow-wing *Chelidoptera tenebrosa tenebrosa*

20 Napo WC 14.2, 5 Río Napo 16.2, 2 there 17.2 and 20 Sani 18.2.

Scarlet-crowned Barbet *Capito aurovirens*

4 Napo WC 14.2 and 2 there 16.2.

Orange-fronted Barbet *Capito squamatus* (Chocó endemic)

8 Río Palenque 8.2, 3 there 9.2, 2 Manga Loma 10.2, 4 Canandé 11.2 and 4 there 12.2.

Gilded Barbet *Capito auratus punctatus*

1 heard Napo WC 14.2, 2 Sani 17.2, 2 there 18.2, 3 Wildsumaco 19.2, 3 Loreto Road 20.2, 4 El Para 21.2 and 2 Archidona 21.2.

Lemon-throated Barbet *Eubucco richardsoni richardsoni*

4 El Para 21.2 and 3 Archidona 21.2.

Red-headed Barbet *Eubucco bourcierii*

3 Río Palenque 8.2, 2 there 9.2 and 1 Canandé 11.2 (ssp. *aequatorialis*). 2 Wildsumaco 19.2 and 3 there 20.2 (ssp. *orientalis*).

Toucan Barbet *Semnorhis ramphastinus ramphastinus* (Chocó endemic)

[*Semnorhis* has been proposed constituting a monotypic family]

1 heard Bellavista 4.2, 2 heard there 5.2, 2 Manga Loma 6.2 and 1 heard Séptimo Paraíso 8.2.

Andean Toucanet *Aulacorhynchus albivitta*

[Now regarded as specifically separated from Emerald Toucanet, *A. prasinus*. But the Ecuadorian population is genetically more similar to the southern form *atrogularis* according to Puebla-Olivares et al. 2008. The Auk 125:39-50, despite being white-throated.]
5 San Isidro 24.2.

Chestnut-tipped Toucanet *Aulacorhynchus derbianus derbianus*

1 Wildsumaco 19.2.

Crimson-rumped Toucanet *Aulacorhynchus haematopygus sexnotatus*

1 Mindo Loma 4.2, 1 Lower Tandayapa Valley 4.2, 1 Bellavista 5.2, 5 Refugio Paz de las Aves 6.2 and 1 Mindo Loma 6.2.

Lettered Aracari *Pteroglossus inscriptus humboldti*

1 Napo WC 14.2 and 1 en route 20.2.

Ivory-billed Aracari *Pteroglossus azara*

2 Napo WC 15.2 and 1 Sani 18.2.

Chestnut-eared Aracari *Pteroglossus castanotis*

4 en route 18.2 and 3 Archidona 21.2.

Collared Aracari *Pteroglossus torquatus erythropygus*

[The southern forms of this species sometimes separated into one or two additional species; Stripe-billed and Pale-mandibled A., but they interbreed to a significant extent in NW Ecuador.]

1 Séptimo Paraíso 6.2, 5 Lower Milpe Road 7.2, 5 Río Palenque 8.2, 1 there 9.2, 3 Los Bancos 9.2, 2 Manga Loma 9.2, 1 en route 10.2, 2 Canandé 11.2 and 1 there 12.2.

Many-banded Aracari *Pteroglossus pluricinctus*

10 Napo WC 15.2, 1 Sani 16.2 and 5 there 18.2.

Plate-billed Mountain-Toucan *Andigena laminirostris* (Chocó endemic)

1 Bellavista 3.2, 2 there 4.2, 4 there 5.2, 2 Mindo Loma 4.2, 5 Lower Tandayapa Valley 4.2 and 5 Refugio Paz de las Aves 6.2.

Grey-breasted Mountain-Toucan *Andigena hypoglauca lateralis*

2 Guango Lodge 23.2.

Black-billed Mountain-Toucan *Andigena nigrirostris spilorhyncha*

2 Guacamayos 22.2 and 1 San Isidro 24.2.

Golden-collared Toucanet *Selenidera reinwardtii reinwardtii*

1 female Sani 16.2, 3 Wildsumaco 20.2 and 3 heard El Para 21.2.

Chocó Toucan *Ramphastos brevis* (Chocó endemic)

2 Séptimo Paraíso 5.2, 15 Lower Milpe Road 7.2 and 2 Canandé 12.2.

Channel-billed Toucan *Ramphastos vitellinus culminatus*

[This form sometimes regarded as separate species, Yellow-ridged T.]

3 heard Napo WC 14.2 and 4 there 15.2.

Black-mandibled (Yellow-throated) Toucan *Ramphastos ambiguus*

[Subspecies *swainsonii* often treated as a distinct species, Chestnut-mandibled T., but resembles nominate in behaviour, voice and morphology, and they apparently interbreed in former contact zone in lower Cauca Valley in Colombia]

1 heard Manga Loma 9.2 and 10.2, 2 heard Canandé 11.2 and 5 there 12.2 (ssp. *swainsonii*). 4 Wildsumaco 19.2 and 1 heard there 20.2 (ssp. *ambiguus*).

Red-billed (White-throated) Toucan *Ramphastos tucanus cuvieri*

[This form was previously treated as separate species, Cuvier's T., but it interbreeds with nominate over vast areas]

2 Napo WC 14.2, 10 there 15.2, 10 Sani 16.2 and 2 there 18.2.

Lafresnaye's Piculet *Picumnus lafresnayi*

1 Sani 16.2, 1 Wildsumaco 20.2, 2 El Para 21.2 and 1 San Isidro 22.2.

Rufous-breasted Piculet *Picumnus rufiventris rufiventris*

1 Wildsumaco 20.2 and 3 El Para 21.2.

Olivaceous Piculet *Picumnus olivaceus harteri*

1 Canandé 11.2.

Black-cheeked Woodpecker *Melanerpes pucherani*

2 Puerto Quito 8.2, 2 Río Palenque 8.2, 2 Canandé 11.2 and 6 there 12.2.

Yellow-tufted Woodpecker *Melanerpes cruentatus*

4 Napo WC 14.2, 10 there 15.2, 2 Sani 16.2, 5 there 18.2, 5 Wildsumaco 19.2, 2 there 20.2 and 1 El Para 21.2.

Yellow-vented Woodpecker *Veniliornis dignus baezae*

2 San Isidro 22.2.

Little Woodpecker *Veniliornis passerinus agilis*

1 Río Napo 17.2 and 2 El Para 21.2.

Red-rumped Woodpecker *Veniliornis kirkii ceciliai*

1 Lower Milpe Road 7.2, 1 Manga Loma 10.2 and 2 Canandé 11.2.

Chocó Woodpecker *Veniliornis chocoensis* (Chocó endemic)

1 Canandé 11.2 and 2 there 12.2.

Lita Woodpecker *Piculus lita* (Chocó endemic)

4 Canandé 11.2.

Golden-olive Woodpecker *Piculus rubiginosus*

1 Bellavista 5.2 and 1 Manga Loma 10.2 (ssp. *rubripileus*). 2 Wildsumaco 19.2, 1 there 20.2 and 1 Archidona 21.2 (ssp. *buenavistae*).

Crimson-mantled Woodpecker *Piculus rivolii brevirostris*

2 Bellavista 4.2, heard there 5.2, 1 Refugio Paz de las Aves 6.2 and 1 Guacamayos 22.2.

Cinnamon Woodpecker *Celeus loricatus loricatus*

2 Canandé 11.2.

Scaly-breasted Woodpecker *Celeus grammicus verreauxii*

2 Sani 18.2.

Chestnut Woodpecker *Celeus elegans citreopygius*

2 Napo WC 14.2, 1 there 15.2, 1 Sani 17.2 and 1 El Para 21.2.

Cream-coloured Woodpecker *Celeus flavus flavus*

1 Napo WC 14.2.

Lineated Woodpecker *Dryocopus lineatus*

1 Lower Milpe Road 7.2, 3 Canandé 11.2 and 1 there 12.2 (ssp. *fuscipennis*). Heard Napo WC 14.2, heard there 15.2, 1 Sani 16.2, 3 Wildsumaco 19.2 and 2 there 20.2 (ssp. *lineatus*).

Powerful Woodpecker *Campephilus pollens pollens*

3 Bellavista 5.2, 1 Mindo Loma 6.2 and 2 San Isidro 24.2.

Crimson-bellied Woodpecker *Campephilus haematogaster splendens*

[This form sometimes regarded as separate species; Splendid Woodpecker]

1 Botorosa Road, Canandé 12.2.

Crimson-crested Woodpecker *Campephilus melanoleucos melanoleucos*
2 Napo WC 14.2, 4 there 15.2, 1 Sani 17.2, 2 there 18.2 and 3 Wildsumaco 19.2.

Guayaquil Woodpecker *Campephilus gayaquilensis*
2 Lower Milpe Road 7.2, 2 Puerto Quito 8.2 and 1 Río Palenque 8.2.

PASSERINES

Broad-billed Sapayoa *Sapayoa aenigma*
[Now placed in its own monotypic family, Sapayoidae. Has earlier been placed in Tyrannidae and Pipridae (manakins). Nest and social organization differs from these.]
2 Canandé 11.2.

Bar-winged Cinclodes *Cinclodes fuscus albidiventris*
100 Antisana 13.2 and 20 Las Antenas, Papallacta Pass 23.2.

Stout-billed Cinclodes *Cinclodes excelsior excelsior*
5 Antisana 13.2.

Pale-legged Hornero *Furnarius leucopus cinnamomeus*
[This form often regarded as separate species, Pacific Hornero, based on disjunct distribution, morphological differences from nominate, and various behavioural and vocal differences. Probably deserves species rank.]
1 Mindo 14.3, 1 there 5.2, 1 Lower Milpe Road 7.2, 5 8.2, 5 9.2, 10 en route 10.2 and 10 en route 12.2.

Lesser Hornero *Furnarius minor*
1 on a small island in Río Napo 16.2 and 1 on another island 17.2.

Andean Tit-Spinetail *Leptasthenura andicola andicola*
2 Antisana 13.2 and 3 Las Antenas, Papallacta Pass 23.2.

Rufous Spinetail *Synallaxis unirufa unirufa*
1 Guango Lodge 23.2.

Azara's Spinetail *Synallaxis azarae media*
1 heard Guayabamba 2.2, 7 3.2, 10 4.2, 10 Bellavista 5.2, 1 heard Guacamayos 22.2, 2 San Isidro 24.2 and 2 heard Quito 25.2.

Dark-breasted Spinetail *Synallaxis albigularis*
1 heard on a small island in Río Napo 17.2 and 1 Wildsumaco 19.2.

Slaty Spinetail *Synallaxis brachyura nigrofumosa*
2 Séptimo Paraíso 5.2, 3 Lower Milpe Road 7.2, 2 Río Palenque 8.2, 1 heard Manga Loma 9.2, 1 heard there 10.2 and 1 Canandé 11.2.

Dusky Spinetail *Synallaxis moesta brunneicaudatus*
1 Wildsumaco 19.2 and 2 there 20.2.

White-bellied Spinetail *Synallaxis propinqua*
1 on a small island in Río Napo 17.2.

Ruddy Spinetail *Synallaxis rutilan caquetensis*
1 heard Sani 18.2.

White-browed Spinetail *Hellmayrea gularis gularis*
2 Papallacta 25.2.

Red-faced Spinetail *Cranioleuca erythrops erythrops*
1 Mindo Loma 4.2, 5 Lower Milpe Road 7.2 and 1 Manga Loma 10.2.

Parker's Spinetail *Cranioleuca vulpecula*

1 on a small island in Río Napo 17.2.

White-chinned Thistletail *Schizoeaca fuliginosa fuliginosa*

4 Las Antenas, Papallacta Pass 23.2.

Streak-backed Canastero *Asthenes wyatti aequatorialis*

5 Antisana 13.2.

Many-striped Canastero *Asthenes flammulata flammulata*

5 Antisana 13.2 and 5 Las Antenas, Papallacta Pass 23.2.

Orange-fronted Plushcrown *Metopothrix aurantiaca*

10 El Para 21.2.

Double-banded Greytail *Xenerpestes minlosi umbraticus*

1 heard Botorosa Road, Canandé 12.2.

Spectacled Prickletail *Siptornis striaticollis nortoni*

2 Wildsumaco 19.2.

Rusty-winged Barbtail *Premnornis guttuligera guttuligera*

2 Lower Milpe Road 7.2.

Pearled Treerunner *Margarornis squamiger perlatus*

2 Bellavista 5.2, 3 Guacamayos 22.2, 5 Guango 23.2 and 10 San Isidro 24.2.

Slender-billed Xenops *Xenops tenuirostris acutirostris*

1 El Para 21.2.

Plain Xenops *Xenops minutus*

1 Lower Milpe Road 7.2, 2 Canandé 11.2 and 1 there 12.2 (ssp. *littoralis*). 2 Sani 17.2 (ssp. *obsoletus*).

Streaked Xenops *Xenops rutilans*

1 Manga Loma 10.2 (ssp. *guayae*). 3 Wildsumaco 19.2 and 1 El Para 21.2 (ssp. *peruvianus*).

Montane Foliage-gleaner *Anabacerthia striaticollis montana*

2 Wildsumaco 19.2 and 2 Guacamayos 22.2.

Scaly-throated Foliage-gleaner *Anabacerthia variegaticeps temporalis*

1 Mindo Loma 4.2, 1 there 6.2 and 2 Manga Loma 10.2.

Streaked Tuftedcheek *Pseudocolaptes boissonneautii*

1 Bellavista 5.2 (ssp. *boissonneautii*). 1 Guacamayos 22.2 and 1 San Isidro 24.2 (ssp. *oberholseri*, *incl. orientalis*).

Flammulated Treehunter *Thripadectes flammulatus flammulatus*

1 heard Bellavista 4.2 and 4 heard there 5.2.

Striped Treehunter *Thripadectes holostictus striatodorsus*

2 Bellavista 4.2.

Streak-capped Treehunter *Thripadectes virgaticeps virgaticeps*

2 Bellavista 5.2 and 1 Mindo Loma 6.2.

Lineated Foliage-gleaner *Syndactyla subalaris subalaris*

4 Bellavista 5.2, 1 heard Refugio Paz de las Aves 6.2, 2 heard Mindo Loma 6.2 and 1 heard Manga Loma 10.2.

Striped Woodhaunter *Hyloctistes subulatus assimilis*

[Vocal differences accompanied by marked plumage differences between trans-Andean and cis-Andean populations indicate that two species are almost certainly involved; Western Woodhaunter and Eastern Woodhaunter. *Assimilis* belongs to the Western group.]

2 Canandé 11.2.

Chestnut-winged Hookbill *Ancistrops strigilatus*

1 Sani 16.2 and 3 there 17.2.

Rufous-tailed Foliage-gleaner *Philydor ruficaudatum subflavescens*

1 Wildsumaco 20.2 and 1 El Para 21.2.

Buff-fronted Foliage-gleaner *Philydor rufum riveti*

1 Bellavista 5.2, 2 Séptimo Paraíso 5.2, 1 heard Mindo Loma 6.2, 5 Lower Milpe Road 7.2, 1 Manga Loma 9.2 and 4 there 10.2.

Buff-throated Foliage-gleaner *Automolus ochrolaemus*

2 Río Palenque 8.2 (ssp. *pallidigularis*). 1 Sani 16.2 (ssp. *turdinus*).

Ruddy Foliage-gleaner *Automolus rubiginosus brunescens*

1 heard El Para 21.2.

Grey-throated Leaf-tosser *Sclerurus albigularis zamorae*

2 heard Wildsumaco 20.2.

Black-tailed Leaf-tosser *Sclerurus caudacutus brunneus*

1 heard Sani 18.2.

Sharp-tailed Streamcreeper *Lochmias nematura sororius*

1 heard Wildsumaco 20.2 and 1 heard San Isidro 24.2.

Tyrannine Woodcreeper *Dendrocincla tyrannina tyrannina*

1 Bellavista 5.2, 2 Guacamayos 22.2 and 3 San Isidro 24.2.

Plain-brown Woodcreeper *Dendrocincla fuliginosa ridgwayi*

3 Lower Milpe Road 7.2, 5 Río Palenque 8.2, 3 there 9.2, 2 Canandé 11.2, 1 there 12.2, 1 Napo WC 15.2, 1 Sani 17.2 and 1 Wildsumaco 20.2.

Olivaceous Woodcreeper *Sittasomus griseicapillus amazonus*

[Belongs to a genus with no close relationship to any other genus. The high number of subspecies form five major groups which with further research might be regarded as species. *Amazonus* belongs to the “*griseicapillus* group”.]

1 El Para 21.2.

Wedge-billed Woodcreeper *Glyphorhynchus spirurus castelnaudii*

5 Lower Milpe Road 7.2, 5 Manga Loma 10.2, 5 Canandé 11.2, 4 there 12.2, 1 Napo WC 15.2, 1 there 16.2, 1 Sani 16.2, 2 there 17.2, 1 there 18.2, 3 Wildsumaco 19.2 and 3 El Para 21.2.

Long-billed Woodcreeper *Nasica longirostris*

1 heard Napo WC 14.2 and 1 + 2 heard there 15.2.

Cinnamon-throated Woodcreeper *Dendrexetastes rufigula devillei*

2 El Para 21.2.

Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus*

1 Bellavista 4.2, 1 Mindo Loma 4.2, 1 Bellavista 5.2, 1 heard Refugio Paz de las Aves 6.2 and 1 Séptimo Paraíso 8.2 (ssp. *promeropirhynchus*). 2 Napo WC 15.2 (ssp. *orenocensis*).

Northern Barred Woodcreeper *Dendrocolaptes sanctithomae sanctithomae*

[Now regarded as specifically separated from Amazonian B-W, *D. certhia*]

1 Botorosa Road, Canandé 12.2.

Tschudi's Woodcreeper *Xiphorhynchus chunchotambo napensis*

[Now regarded as specifically separated from Ocellated Woodcreeper, *X. ocellatus*]

2 heard Sani 16.2.

Elegant Woodcreeper *Xiphorhynchus elegans ornatu*
[Now regarded as specifically separated from Spix's W, *X. spixii* (endemic to Brazil) and Juruá W, *X. juruanus* of Peru–Brazil.]
2 El Para 21.2.

Lafresnaye's Woodcreeper *Xiphorhynchus guttatoides*
[Now regarded as specifically separated from Buff-throated W., *X. guttatus* and Cocoa W, *X. susurrans* of Central America.]
2 Napo WC 15.2 and 1 Sani 17.2.

Black-striped Woodcreeper *Xiphorhynchus lachrymosus lachrymosus*
1 heard Canandé 11.2 and 2 there 12.2.

Spotted Woodcreeper *Xiphorhynchus erytropygius aequatorialis*
1 Manga Loma 9.2, 4 there 10.2, 2 Canandé 11.2 and 1 there 12.2.

Olive-backed Woodcreeper *Xiphorhynchus triangularis triangularis*
1 Wildsumaco 20.2 and 1 San Isidro 24.2.

Streak-headed Woodcreeper *Lepidocolaptes souleyetii esmeraldae*
1 Río Palenque 8.2, 1 Río Canandé 10.2 and 1 Canandé 11.2.

Montane Woodcreeper *Lepidocolaptes lacrymiger aequatorialis*
[Regarded as specifically separated from Spot-crowned W, *L. affinis* of Central America, but differences in vocal characters is yet to be analysed in more detail.]
1 Bellavista 3.2, 5 there 4.2, 3 Lower Tandayapa Valley 4.2, 3 Mindo Loma 4.2, 5 Bellavista 5.2, 3 Mindo Loma 6.2, 3 Guacamayos 22.2 and 2 Guango Lodge 23.2.

Red-billed Scythebill *Campylorhamphus trochilirostris thoracicus*
4 Río Palenque 9.2 and 1 Canandé 11.2.

Undulated Antshrike *Frederickena unduligera fulva*
1 Sani 16.2.

Great Antshrike *Taraba major*
2 + 2 heard Río Palenque 8.2, 1 heard there 9.2 and 2 heard Canandé 12.2 (ssp. *transandeanus*). 2 Napo WC 15.2 (ssp. *melanurus*).

Lined Antshrike *Thamnophilus tenuipunctatus tenuifasciatus*
3 Wildsumaco 19.2 and 2 heard there 20.2.

Cocha Antshrike *Thamnophilus praecox* (Ecuadorian endemic)
1 + 1 heard Sani 17.2.

White-shouldered Antshrike *Thamnophilus aethiops aethiops*
2 El Para 21.2.

Uniform Antshrike *Thamnophilus unicolor unicolor*
2 heard Refugio Paz de las Aves 6.2.

Mouse-coloured Antshrike *Thamnophilus murinus canipennis*
3 heard El Para 21.2.

Western Slaty-Antshrike *Thamnophilus atrinucha atrinucha*
1 heard Manga Loma 9.2 and 1 heard Botorosa Road, Canandé 12.2.

Spot-winged Antshrike *Pygiptila stellaris stellaris*
2 Sani 16.2 and 3 there 17.2.

Russet Antshrike *Thamnistes anabatinus intermedius*
1 Lower Milpe Road 7.2, 1 Manga Loma 10.2 and 4 Canandé 11.2.

Plain Antvireo *Dysithamnus mentalis*
4 Canandé 11.2 (ssp. *aequatorialis*). 1 Wildsumaco 20.2 (ssp. *napensis*).

Spot-crowned Antvireo *Dysithamnus puncticeps*
2 Canandé 11.2.

White-streaked Antvireo *Dysithamnus leucostictus leucostictus*
2 heard Wildsumaco 19.2.

Dusky-throated Antshrike *Thamnomanes ardesiacus ardesiacus*
1 Sani 16.2 and 2 there 17.2.

Pygmy Antwren *Myrmotherula brachyura*
2 heard El Para 21.2.

Moustached (Griscom's) Antwren *Myrmotherula ignota ignota*
[A split from Pygmy Antwren based on its different song and slightly differing morphology.]
1 heard Canandé 11.2 and 2 there 12.2.

Pacific Antwren *Myrmotherula pacifica*
2 Puerto Quito 8.2, 2 heard Manga Loma 10.2 and 2 Canandé 12.2.

Plain-throated Antwren *Myrmotherula hauxwelli hauxwelli*
1 Napo WC 16.2 and 2 Sani 17.2.

Checker-throated Antwren *Myrmotherula fulviventris*
5 Canandé 11.2.

Ornate Antwren *Myrmotherula ornata saturata*
2 Sani 17.2 and 1 El Para 21.2.

White-flanked Antwren *Myrmotherula axillaris*
2 Manga Loma 10.2 and 4 Canandé 11.2 (ssp. *albigula*). 2 Sani 17.2 (ssp. *melaena*).

Slaty Antwren *Myrmotherula schisticolor*
3 Lower Milpe Road 7.2 and 4 Séptimo Paraíso 8.2 (ssp. *schisticolor*). 1 heard Wildsumaco 20.2 (ssp. *interior*).

Grey Antwren *Myrmotherula menetriesii pallida*
1 Napo 15.2 and 4 Sani 16.2.

Yellow-breasted Antwren *Herpsilochmus axillaris aequatorialis*
1 Wildsumaco 20.2.

Rufous-winged Antwren *Herpsilochmus rufimarginatus frater*
1 Canandé 11.2 and 1 heard Wildsumaco 20.2.

Dot-winged Antwren *Microrhoptias quixensis*
2 Lower Milpe Road 7.2, 4 Río Palenque 8.2, 10 Canandé 11.2 and 4 there 12.2. (ssp. *consobrinus*). 2 El Para 21.2 (ssp. *quixensis*).

Striated Antbird *Drymophila devillei devillei*
5 El Para 21.2.

Long-tailed Antbird *Drymophila caudata caudata*
2 Séptimo Paraíso 5.2 and 3 San Isidro 24.2.

Blackish Antbird *Cercomacra nigrescens aequatorialis*
5 Wildsumaco 19.2 and 3 there 20.2.

Black Antbird *Cercomacra serva serva*

1 El Para 21.2.

White-browed Antbird *Myrmoborus leucophrys leucophrys*

2 Loreto Road 20.2.

Black-faced Antbird *Myrmoborus myotherinus elegans*

1 Napo WC 16.2, 1 heard Sani 18.2 and 4 El Para 21.2.

Warbling Antbird *Hypocnemis cantator saturator*

1 heard El Para 21.2.

Silvered Antbird *Sclateria naevia argentata*

2 heard Sani 16.2 and 2 heard there 17.2.

Spot-winged Antbird *Percnostola leucostigma subplumbea*

1 Napo 15.2.

Stub-tailed Antbird *Myrmeciza berlepschi* (Chocó endemic)

1 Lower Milpe Road 7.2 and 2 Manga Loma 10.2.

Chestnut-backed Antbird *Myrmeciza exsul maculifer*

2 Lower Milpe Road 7.2, 1 heard Río Palenque 8.2, 2 heard there 9.2, 10 heard Manga Loma 10.2 and 20 Canandé 11.2.

Esmeraldas Antbird *Myrmeciza nigricauda* (Chocó endemic)

1 Lower Milpe Road 7.2.

Plumbeous Antbird *Myrmeciza hyperythra*

1 heard Napo 15.2.

White-shouldered Antbird *Myrmeciza melanoceps*

1 heard Napo 16.2 and 1 heard Sani 17.2.

Sooty Antbird *Myrmeciza fortis fortis*

1 heard El Para 21.2.

Immaculate Antbird *Myrmeciza immaculata macrorhyncha*

1 Lower Milpe Road 7.2, 1 heard Manga Loma 10.2 and 3 Canandé 11.2.

Bicoloured Antbird *Gymnopithys leucaspis*

2 Manga Loma 10.2 and 10 Canandé 11.2 (ssp. *aequatorialis*). 1 heard Sani 16.2 and 1 heard there 17.2 (ssp. *castanea*).

Lunulated Antbird *Gymnopithys lunulatus*

2 Napo WC 15.2.

Dot-backed Antbird *Hylophylax punctulatus punctulatus*

2 Napo WC 14.2.

Ocellated Antbird *Phaenostictus mcleannani pacificus*

6 Canandé 11.2.

Rufous-capped Antthrush *Formicarius colma nigrifrons*

1 Sani 16.2.

Black-headed Antthrush *Formicarius nigricapillus destructus*

1 Río Palenque 9.2, 3 Manga Loma 10.2, 3 heard Canandé 11.2 and 1 heard there 12.2.

Black-faced Antthrush *Formicarius analis zamorae*

2 heard Napo 16.2, 2 Sani 17.2 and 1 heard there 18.2.

Rufous-breasted Antthrush *Formicarius rufipectus carrikeri*

1 heard Bellavista 5.2, 3 heard Séptimo Paraíso 5.2, 1 heard there 6.2, 1 heard Lower Milpe Road 7.2 and 1 heard Séptimo Paraíso 8.2.

Striated Antthrush *Chamaeza nobilis rubida*

3 Sani 18.2.

Short-tailed Antthrush *Chamaeza campanisona punctigula*

3 heard Wildsumaco 19.2 and 3 heard there 20.2.

Rufous-crowned Antpitta *Pittasoma rufopileatum rufopileatum* (Chocó endemic)

1 heard Manga Loma 10.2 and 1 Canandé 11.2.

Undulated Antpitta *Grallaria squamigera squamigera*

1 heard Yanacocha 3.2 and 3 heard Nono Road 3.2.

Giant Antpitta *Grallaria gigantea hylodroma* (Chocó endemic)

1 heard Bellavista 4.2 and 1 + 3 heard Refugio Paz de las Aves 6.2.

One bird eating maggots 5 metres in front of us was one of the trip highlights.

Scaled Antpitta *Grallaria guatemalensis regulus*

3 heard Séptimo Paraíso 5.2, 1 there 8.2 and 1 heard Canandé 11.2.

Moustached Antpitta *Grallaria alleni andaquiensis* (Chocó endemic)

1 heard Mindo Loma 4.2, 1 heard there 6.2 and 1 heard Guacamayos 22.2.

Plain-backed Antpitta *Grallaria haplonota chaplinae*

2 heard Wildsumaco 19.2 and 1 heard there 20.2.

Chestnut-crowned Antpitta *Grallaria ruficapilla ruficapilla*

The most frequently heard antpitta. Several heard at Nono Road, Bellavista, Guango Lodge. Highest number 6 heard at San Isidro 24.2.

Chestnut-naped Antpitta *Grallaria nuchalis*

3 heard Yanacocha 3.2 (ssp. *obsoleta*). 1 heard Guango Lodge 23.2 and 1 heard Guango Trail 25.2 (ssp. *nuchalis*).

Yellow-breasted Antpitta *Grallaria flavotincta* (Chocó endemic)

1 heard Mindo Loma 6.2.

White-bellied Antpitta *Grallaria hypoleuca castanea*

2 heard San Isidro 24.2.

Rufous Antpitta *Grallaria rufula rufula*

2 Yanacocha 3.2.

Tawny Antpitta *Grallaria quitensis quitensis*

4 Yanacocha 3.2, 3 Antisana 13.2, 10 Papallacta Pass 23.2 and 2 heard Papallacta 25.2.

White-jored Antpitta *Hylopezus fulviventris fulviventris*

1 Sani Isla Trail 17.2 and 1 heard El Para 21.2.

Thrush-like Antpitta *Myrmothera campanisona signata*

1 heard Sani 17.2 and 10 heard El Para 21.2.

Ochre-breasted Antpitta *Grallaricula flavirostris mindoensis*

2 heard Séptimo Paraíso 5.2, 1 heard Refugio Paz de las Aves 6.2 and 1 displaying at Séptimo Paraíso 8.2.

Slate-crowned Antpitta *Grallaricula nana nana*

1 heard Guacamayos 22.2.

Chestnut-belted Gnateater *Conopophaga aurita occidentalis*

1 heard Sani 18.2.

Chestnut-crowned Gnateater *Conopophaga castaneiceps castaneiceps*

1 heard Wildsumaco 19.2 and 4 heard there 20.2.

Rusty-belted Tapaculo *Liosceles thoracicus erithacus*

1 heard Napo WC 15.2.

Blackish Tapaculo *Scytalopus latrans*

[Formerly treated as subspecies of Unicoloured Tapaculo, *S. unicolor*, but differs vocally. Subspecific status unclear, the ssp. occurring in the north Ecuadorian Andes intermediate between *latrans* and *subcinereus*.]

4 Yanacocha 3.2 and 2 + 3 heard San Isidro 24.2.

Long-tailed Tapaculo (Equatorial Rufous -vented Tapaculo) *Scytalopus micropterus*

3 heard Wildsumaco 19.2, 1 heard Guacamayos 22.2 and 2 San Isidro 24.2.

White-crowned Tapaculo *Scytalopus atratus atratus*

2 Wildsumaco 19.2 and 1 heard there 20.2.

Nariño Tapaculo *Scytalopus viciniior* (Chocó endemic)

2 heard Séptimo Paraíso 5.2, 2 heard Refugio Paz de las Aves 6.2 and 1 heard Séptimo Paraíso 8.2.

Spillmann's Tapaculo *Scytalopus spillmanni*

3 heard Bellavista 3.2, 3 there 4.2, 8 heard there 5.2, 1 heard Guacamayos 22.2 and 1 heard Guango Trail 25.2.

Páramo Tapaculo *Scytalopus canus opacus*

3 heard Papallacta Pass 23.2 and 2 heard Papallacta 25.2.

Ocellated Tapaculo *Acropternis orthonyx infuscata*

2 heard Bellavista 3.2, 1 + 4 heard there 4.2 and 3 heard there 5.2.

Red-crested Cotinga *Ampelion rubrocristatus*

1 Nono Road 3.2, 3 Bellavista 5.2, 2 Refugio Paz de las Aves 6.2 and 4 Papallacta 25.2.

Green-and-black Fruiteater *Pipreola riefferii*

2 Bellavista 5.2 (ssp. *occidentalis*). 3 Guacamayos 22.2 (ssp. *confusa*).

Orange-breasted Fruiteater *Pipreola jucunda* (Chocó endemic)

1 female Refugio Paz de las Aves 6.2.

Black-chested Fruiteater *Pipreola lubomirskii*

1 heard Wildsumaco 19.2.

Fiery-throated Fruiteater *Pipreola chlorolepidota*

6 Wildsumaco 20.2.

Scaled Fruiteater *Ampelioides tschudii*

2 Refugio Paz de las Aves 6.2.

White-browed Purpletuft *Iodopleura isabellae isabellae*

5 Napo WC 15.2, 4 Sani 16.2 and 5 there 18.2.

Grey-tailed Piha *Snowornis subalaris*

1 Wildsumaco 20.2.

Olivaceous Piha *Snowornis cryptolophus mindoensis*

4 Refugio Paz de las Aves 6.2.

Screaming Piha *Lipaugus vociferans*

8 heard Napo WC 15.2, 2 heard Sani 16.2 and 2 heard there 17.2.

Rufous Piha *Lipaugus unirufus castaneotinctus*
3 Canandé 11.2.

Plum-throated Cotinga *Cotinga maynana*
2 Napo WC 15.2 and 1 Sani 18.2.

Spangled Cotinga *Cotinga cayana*
2 Napo WC 15.2.

Black-tipped Cotinga *Carpodectes hopkei*
3 Canandé 11.2 and 2 there 12.2.

Bare-necked Fruitcrow *Gymnoderus foetidus*
5 Napo WC 15.2, 5 Sani 16.2, 3 there 17.2, 1 there 18.2 and 2 Río Napo 18.2.

Purple-throated Fruitcrow *Querula purpurata*
2 Lower Milpe Road 7.2, 2 Río Palenque 8.2, 2 heard Canandé 11.2, 3 there 12.2, 4 heard Napo WC 15.2, 4 Sani 16.2 and 4 there 18.2.

Long-wattled Umbrellabird *Cephalopterus penduliger* (Chocó endemic)
1 Lower Milpe Road 7.2, 2 heard Manga Loma 10.2 and 2 Canandé 11.2.

Amazonian Umbrellabird *Cephalopterus ornatus*
1 Napo WC 14.2, 1 Sani 17.2 and 1 Wildsumaco 19.2.

Andean Cock -of-the-rock *Rupicola peruvianus*
10 Lower Tandayapa Valley 4.2, 1 heard Bellavista 5.2 and 2 heard Refugio Paz de las Aves 6.2 (ssp. *sanguiolenta*). 5 San Isidro 24.2 (ssp. *aequatorialis*).

Green Manakin *Chloropipo holochlora litae*
[This subspecies may together with ssp. *suffusa* represent a separate species, Chocó Manakin, *Ch. litae*]
1 Canandé 11.2.

White-bearded Manakin *Manacus manacus*
[15 subspecies described, but they are probably almost all clinal and in need of revision]
7 Río Palenque 8.2, 10 Botorosa Road, Canandé 12.2 and 2 Archidona 21.2.

Red-capped Manakin *Pipra mentalis minor*
1 Canandé 11.2.

Wire-tailed Manakin *Pipra filicauda filicauda*
1 Napo WC 15.2 and 1 there 17.2.

White-crowned Manakin *Dixiphia pipra coracina*
[This subspecies may represent a separate species, Sclater's Manakin, *D. coracina*]
1 Wildsumaco 19.2 and 1 there 20.2.

Blue-crowned Manakin *Lepidothrix coronata coronata*
1 Napo WC 15.2.

Blue-rumped Manakin *Lepidothrix isidorei isidorei*
1 Wildsumaco 19.2.

Golden-winged Manakin *Masius chrysopterus*
5 Canandé 11.2 (ssp. *coronulatus*). 1 Wildsumaco 19.2, 2 there 20.2 and 2 Guacamayos 22.2 (ssp. *pax*).

Club-winged Manakin *Machaeropterus deliciosus* (Chocó endemic)
1 Mindo Cloudforest Foundation Bird Sanctuary 7.2.

Dwarf Tyrant-Manakin *Tyranneutes stolzmanni*
1 heard Napo WC 14.2 and 2 heard there 15.2.

Thrush-like Schiffornis *Schiffornis turdina rosenbergi*
[Genus Schiffornis now placed among the manakins instead of in Tyrannidae. But taxonomy not fully resolved.]
3 Lower Milpe Road 7.2, 1 Canandé 11.2 and 1 there 12.2.

Southern Beardless-Tyrannulet *Camptostoma obsoletum sclateri*
1 + 1 heard Guayabamba 2.2, 1 Lower Milpe Road 7.2, 1 Séptimo Paraíso 8.2 and 5 Quito 25.2.

Yellow Tyrannulet *Capsiempis flaveola cerula*
2 El Para 21.2.

Yellow-crowned Tyrannulet *Tyrannulus elatus*
1 Puerto Quito 8.2, 3 Sani 16.2 and 1 there 18.2.

Foothill Elaenia *Myiopagis olallai*
[Described 2000.]
3 Sumaco N.P. Trail, Wildsumaco 19.2.

Grey Elaenia *Myiopagis caniceps parambae*
Lower Milpe Road 7.2.

Yellow-bellied Elaenia *Elaenia flavogaster semipagana*
1 Río Palenque 8.2.

White-crested Elaenia *Elaenia albiceps griseigularis*
3 San Isidro 24.2.

Mottle-backed Elaenia *Elaenia gigas*
3 Río Napo 16.2 and 2 there 17.2.

Sierran Elaenia *Elaenia pallatangae pallatangae*
1 heard Guayabamba 2.2, 2 Lower Tandayapa Valley 4.2, 2 Bellavista 5.2, 1 Refugio Paz de las Aves 6.2, 1 Lower Milpe Road 7.2 and 2 Quito 25.2.

Torrent Tyrannulet *Serpophaga cinerea cinerea*
1 Loreto Road 20.2, 2 Guacamayos 22.2 and 3 San Isidro 24.2.

River Tyrannulet *Serpophaga hypoleuca hypoleuca*
1 Río Napo 16.2.

Ochre-bellied Flycatcher *Mionectes oleagineus*
2 Río Palenque 9.2 and 1 heard Canandé 12.2 (ssp. *pacificus*). 1 Napo WC 15.2, 2 Sani 16.2, 1 there 17.2 and 1 heard El Para 21.2 (ssp. *hauxwelli*).

Streak-necked Flycatcher *Mionectes striaticollis viridiceps*
2 Lower Milpe Road 7.2.

Olive-striped Flycatcher *Mionectes olivaceus*
1 Bellavista 3.2, 2 there 5.2, 1 Refugio Paz de las Aves 6.2, 1 Lower Milpe Road 7.2, 1 Manga Loma 10.2 and 1 Canandé 11.2 (ssp. *hederaceus*). 1 Guacamayos 22.2 and 2 San Isidro 24.2 (ssp. *fasciaticollis*).

Rufous-breasted Flycatcher *Leptopogon rufipectus*
1 Guacamayos 22.2.

Bronze-olive Pygmy-Tyrant *Pseudotriccus pelzelni pelzelni*
1 San Isidro 24.2.

Rufous-headed Pygmy-Tyrant *Pseudotriccus ruficeps*
1 heard Yanacocha 3.2, 1 Lower Tandayapa Valley 4.2 and 1 Bellavista 5.2.

Marble-faced Bristle-Tyrant *Pogonotriccus ophthalmicus ophthalmicus*
2 San Isidro 24.2.

Variegated Bristle-Tyrant *Pogonotriccus poecilotis poecilotis*
1 San Isidro 24.2.

Ecuadorian Tyrannulet *Phylloscartes gualaquizae*
1 Wildsumaco 19.2, 1 heard there 20.2 and 1 heard El Para 21.2.

Rough-legged Tyrannulet *Phyllomyias burmeisteri leucogonys*
[Complex taxonomy. May constitute separate genus. The present species previously divided into three species, the form *leucogonys* was then called White-fronted Tyrannulet.]
3 Wildsumaco 19.2.

Sooty-headed Tyrannulet *Phyllomyias griseiceps griseiceps*
1 heard Lower Milpe Road 7.2, 3 Río Palenque 8.2, 3 Canandé 10.2, 2 there 11.2, 6 12.2 and 1 heard Wildsumaco 19.2.

Plumbeous-crowned Tyrannulet *Phyllomyias plumbeiceps*
2 Wildsumaco 19.2.

Slender-footed Tyrannulet *Zimmerius gracilipes gilvus*
1 Sani 16.2 and 1 El Para 21.2.

Golden-faced Tyrannulet *Zimmerius chrysops*
[Subspecies *albogularis* (SW Ecuador) and *flavidifrons* possibly represent a separate species, Loja Tyrannulet *Z. flavidifrons*.]
3 Lower Milpe Road 7.2, 1 Canandé 12.2 and 3 there 12.2 (ssp. *flavidifrons*). 1 Napo WC 15.2, 3 Wildsumaco 19.2, 3 there 20.2, 2 El Para 21.2 and 1 heard Guacamayos 22.2 (ssp. *chrysops*).

White-throated Tyrannulet *Mecocerculus leucophrys rufomarginatus*
2 Yanacocha 3.2 and 5 Papallacta 25.2.

White-tailed Tyrannulet *Mecocerculus poecilocercus*
2 Bellavista 5.2, 1 Mindo Loma 6.2 and 4 San Isidro 24.2.

White-banded Tyrannulet *Mecocerculus stictopterus stictopterus*
2 Yanacocha 3.2, 4 Guango Lodge 23.2 and 5 Papallacta 25.2.

Lesser Wagtail-Tyrant *Stigmatura napensis napensis*
1 Río Napo 17.2.

Agile Tit-Tyrant *Anairetes agilis*
5 Papallacta 25.2.

Tufted Tit-Tyrant *Anairetes parulus aequatorialis*
2 Calacalí 2.2.

Black-capped Pygmy-Tyrant *Myiornis atricapillus*
1 Río Palenque 8.2.

Scale-crested Pygmy-Tyrant *Lophotriccus pileatus*
1 Lower Tandayapa Valley 4.2, 7 Lower Milpe Road 7.2, 5 Río Palenque 8.2, 1 heard Manga Loma 10.2, 1 Canandé 11.2 and 3 there 12.2 (ssp. *squamaecristata*). 1 Wildsumaco 19.2 (ssp. *pileatus*).

Rufous-crowned Tody-Tyrant *Poecilotriccus ruficeps*
6 Sierra Azul Trail, San Isidro 24.2.

Golden-winged Tody-Flycatcher *Poecilotriccus calopterus*
3 Wildsumaco 19.2.

Spotted Tody-Flycatcher *Todirostrum maculatum signatum*
1 Río Napo 17.2.

Black-headed Tody-Flycatcher *Todirostrum nigriceps*

1 Manga Loma 9.2.

Common Tody-Flycatcher *Todirostrum cinereum*

3 Puerto Quito 8.2, 2 Canandé 10.2, 1 there 11.2 and 2 there 12.2 (ssp. *sclateri*). 1 Wildsumaco 20.2 and 1 Archidona 21.2 (ssp. *peruanum*).

Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum guttatum*

1 Napo WC 15.2 and 2 El Para 21.2.

Brownish Flycatcher (Brownish Twistwing) *Cnipodectes subbrunneus minor*

1 Sani 17.2.

Large-headed Flatbill *Ramphotricon megacephalum pectoralis*

2 El Para 21.2.

Pacific Flatbill *Rhynchocyclus pacificus* (Chocó endemic)

1 Canandé 11.2.

Yellow-margined Flycatcher *Tolmomyias assimilis flavotectus*

[Relationships within genus uncertain, pending completion of major genetic study. Subspecies *flavotectus* considered by some authors to constitute a separate species, Yellow-margined F., on basis of disjunct distribution and vocal differences. Remaining other subspecies then given specific name Zimmer's F. But they may also constitute more than one species. The members of the genus also called flatbills instead of flycatchers.]
1 Río Palenque 8.2, 1 Canandé 11.2 and 1 El Para 21.2.

Yellow-breasted Flycatcher *Tolmomyias flaviventris viridiceps*

[Three West Amazonian subspecies including *viridiceps* sometimes treated as separate species, Olive-faced F. on grounds of plumage and vocal differences. Eastern forms are then called Ochre-lored F.]
1 Wildsumaco 20.2 and 1 Archidona 21.2.

Yellow-throated Spadebill *Platyrinchus flavigularis flavigularis*

4 Wildsumaco 20.2.

Golden-crowned Spadebill *Platyrinchus coronatus superciliaris*

1 heard Canandé 11.2.

Ornate Flycatcher *Myiotriccus ornatus*

1 heard Mindo Loma 6.2, 10 Lower Milpe Road 7.2 and 1 Manga Loma 10.2 (ssp. *stellatus*). 10 Wildsumaco 19.2 and 10 there 20.2 (ssp. *phoenicurus*).

Flavescent Flycatcher *Myiophobus flavicans flavicans*

1 heard Refugio Paz de las Aves 6.2.

Handsome Flycatcher *Myiophobus pulcher*

1 Bellavista 3.2 (ssp. *pulcher*). 1 Guacamayos 22.2, 1 Guango Lodge 23.2 and 1 San Isidro 24.2 (ssp. *bellus*).

Bran-coloured Flycatcher *Myiophobus fasciatus crypterythrus*

1 Río Palenque 8.2.

Olive-chested Flycatcher *Myiophobus cryptoxanthus*

4 Wildsumaco 19.2 and 5 there 20.2.

Ruddy-tailed Flycatcher *Terenotriccus erythrurus fulvularis*

1 Botorosa Road, Canandé 12.2.

Cinnamon Flycatcher *Pyrrhomyias cinnamomeus pyrr hoptera*

1 heard Lower Tandayapa Valley 4.2, 3 Bellavista 5.2, 10 Guacamayos 22.2, 5 Guango 23.2 and 5 San Isidro 24.2.

Olive-sided Flycatcher *Contopus cooperi*

1 Lower Milpe Road 7.2, 1 Canandé 11.2, 1 Wildsumaco 19.2 and 3 San Isidro 24.2.

Smoke-coloured Pewee *Contopus fumigatus*

1 Mindo Loma 4.2, 3 Bellavista 4.2, 2 Refugio Paz de las Aves 6.2, 2 Mindo Loma 6.2 and 2 Lower Milpe Road 7.2 (ssp. *zarumae*). 1 San Isidro 24.2 (ssp. *ardosiacus*).

Western Wood-Pewee *Contopus sordidulus*

5 Lower Milpe Road 7.2, 3 Río Palenque 9.2, 4 10.2, 3 Canandé 11.2, 4 there 12.2., 3 Wildsumaco 19.2, 3 there 20.2 and 5 El Para 21.2.

Eastern Wood-Pewee *Contopus virens*

1 Napo WC 15.2 and 1 El Para 21.2.

Black Phoebe *Sayornis nigricans angustirostris*

Widespread in low numbers along streams. Seen 10 days.

Vermilion Flycatcher *Pyrocephalus rubinus piurae*

10 Quito area 2.2, 10 en route 7.2 and 3 Quito 25.2.

Yellow-bellied Chat-Tyrant *Ochthoeca diadema gratiosa*

3 Bellavista 5.2.

Slaty-backed Chat-Tyrant *Ochthoeca cinnamomeiventris cinnamomeiventris*

2 heard Bellavista 3.2, 2 heard Guango Lodge 23.2 and 1 heard San Isidro 24.2.

Rufous-breasted Chat-Tyrant *Ochthoeca rufipectoralis obfuscata*

4 Guango Lodge 23.2.

Brown-backed Chat-Tyrant *Ochthoeca fumicolor brunneifrons*

1 Antisana 13.2, 2 Papallacta Pass 23.2 and 3 Papallacta 25.2.

Drab Water-Tyrant *Ochthornis littoralis*

10 Napo WC 14.2, 8 Río Napo 16.2 and 10 there 18.2.

Streak-throated Bush-Tyrant *Myiotheretes striaticollis striaticollis*

1 Guayabamba 2.2.

Smoky Bush-Tyrant *Myiotheretes fumigatus fumigatus*

1 Yanacocha 3.2 and 1 San Isidro 24.2.

Black-billed Shrike-Tyrant *Agriornis montanus solitarius*

1 Antisana 13.2.

White-tailed Shrike-Tyrant *Agriornis andicola andicola*

1 Calacalí 2.2.

Plain-capped Ground-Tyrant (Páramo G-T) *Muscisaxicola alpinus alpinus*

20 Antisana 13.2 and 10 Papallacta Pass 23.2.

Masked Water-Tyrant *Fluvicola nengeta atripennis*

4 Lower Milpe Road 7.2, 5 en route 8.2, 5 Río Palenque 8.2, 2 Los Bancos 9.2, a total of 10 10.2 and 20 12.2.

Long-tailed Tyrant *Colonia colonus leuconotus*

2 Botorosa Road, Canandé 12.2.

Cinnamon Attila *Attila cinnamomeus*

1 Napo WC 14.2, 1 heard there 15.2 and 1 heard there 16.2.

Ochraceous Attila *Attila torridus*

1 heard Río Palenque 8.2 and 9.2.

Citron-bellied Attila *Attila citriniventris*

2 heard Napo WC 15.2.

Sirystes *Sirystes sibilator*

[Subspecies *albogriseus* sometimes treated as a separate species, Western Sirystes, differing in plumage and especially in vocalizations. Eastern subspecies are then called Eastern Sirystes.]

1 Canandé 12.2 (ssp. *albogriseus*). 1 heard Sani Isla Trail 17.2 (ssp. *albocinereus*).

Rufous Mourner *Rhytipterna holerythra rosenbergi*

1 Manga Loma 10.2, 2 heard Canandé 11.2 and 2 there 12.2.

Greyish Mourner *Rhytipterna simplex frederici*

1 Sani 17.2 and 1 heard there 18.2.

Dusky-capped Flycatcher *Myiarchus tuberculifer*

2 heard Séptimo Paraíso 5.2, 1 Lower Milpe Road 7.2, 2 Séptimo Paraíso 8.2 and 5 Río Palenque 8.2 (ssp. *nigriceps*). 2 Napo WC 15.2 (ssp. *tuberculifer*).

Short-crested Flycatcher *Myiarchus ferox ferox*

1 Napo WC 15.2.

Lesser Kiskadee *Philohydor lictor lictor*

20 Napo WC 14.2, 10 there 15.2, 10 there 16.2 and 5 Sani 17.2.

Great Kiskadee *Pitangus sulphuratus sulphuratus*

5 Napo WC 14.2, 3 there 15.2, 1 there 16.2, 3 Sani 16.2, 10 there 17.2, 10 18.2 and 5 21.2.

Boat-billed Flycatcher *Megarynchus pitangua*

10 Río Palenque 8.2, 3 there 9.2, 1 Canandé 10.2, 1 there 11.2 and 5 there 12.2 (ssp. *chrysogaster*). 2 Napo WC 14.2, 1 Sani 16.2, 2 there 17.2 and 1 there 18.2 (ssp. *pitangua*).

Rusty-margined Flycatcher *Myiozetetes cayanensis hellmayri*

2 Refugio Paz de las Aves 6.2, 6 Lower Milpe Road 7.2, 10-20 daily 8-12.2 in western lowlands and foothills.

Social Flycatcher *Myiozetetes similis*

1 Lower Milpe Road 7.2, 1 Río Palenque 8.2 and 1 10.2 (ssp. *grandis*). Widespread in eastern lowlands and foothills. Highest number 20 18.2 (ssp. *similis*).

Grey-capped Flycatcher *Myiozetetes granadensis*

2 Canandé 12.2 (ssp. *occidentalis*). 1 Napo WC 14.2, 2 Loreto Road 20.2 and 2 El Para 21.2 (ssp. *obscurior*).

Golden-crowned Flycatcher *Myiodynastes chrysocephalus minor*

Widespread on western slope 3-7.2. 1 Wildsumaco 19.2.

Streaked Flycatcher *Myiodynastes maculatus chapmani*

2 Río Palenque 8.2.

Piratic Flycatcher *Legatus leucophaeus leucophaeus*

1 Puerto Quito 8.2, 2 Canandé 12.2, 1 Napo WC 14.2, 2 there 15.2, 3 Sani 16.2, 5 there 17.2 and 1 there 18.2.

Tropical Kingbird *Tyrannus melancholicus melancholicus*

Common, except in the Interandean Valley. Seen 19 days.

Eastern Kingbird *Tyrannus tyrannus*

1 Napo WC 14.2.

Yellow-cheeked Becard *Pachyramphus xanthogenys xanthogenys*

1 heard Wildsumaco 19.2.

Barred Becard *Pachyramphus versicolor versicolor*

1 Lower Tandayapa Valley 4.2, 1 Mindo Loma 6.2, 1 heard Guango Lodge 23.2 and 1 San Isidro 24.2.

Cinnamon Becard *Pachyramphus cinnamomeus cinnamomeus*

1 Canandé 10.2, 2 there 11.2 and 5 there 12.2.

White-winged Becard *Pachyramphus polychopterus tenebrosus*

1 Archidona 21.2.

Black-capped Becard *Pachyramphus marginatus nanus*

1 Sani 18.2.

Pink-throated Becard *Pachyramphus minor*

1 Sani 17.2 and 2 there 18.2.

One-coloured Becard *Pachyramphus homochrous homochrous*

1 Puerto Quito 8.2.

Black-tailed Tityra *Tityra cayana cayana*

2 Napo WC 14.2, 2 there 15.2, 4 Sani 16.2, 1 heard there 17.2 and 2 there 18.2.

Masked Tityra *Tityra semifasciata*

4 Lower Milpe Road 7.2, 4 Puerto Quito 8.2, 2 Río Palenque 9.2, 1 Manga Loma 10.2 and 4 Canandé 12.2 (ssp. *nigriceps*). 1 heard Wildsumaco 19.2 (ssp. *fortis*).

Black-crowned Tityra *Tityra inquisitor*

2 Río Palenque 8.2 (ssp. *albitorques*). 2 Wildsumaco 20.2 and 2 El Para 21.2 (ssp. *buckleyi*).

Speckled Mourner *Laniocera rufescens tertia*

[Genus often placed in Cotingidae, and possibly better treated in that family.]

2 Canandé 11.2.

Grey-breasted Martin *Progne chalybea chalybea*

10 daily 8-10.2 in the western lowlands. 1 Canandé 11.2, 2 there 12.2, 5 Napo WC 14.2, 10 en route 18.2 and 2 Archidona 21.2.

White-winged Swallow *Tachycineta albiventer*

Common Napo WC 14.2, 10 there 15.2, 20 there 16.2, 20 Sani 17.2 and 50 Río Napo 18.2.

Blue-and-white Swallow *Notiochelidon cyanoleuca cyanoleuca*

Common. Up to 100 daily 3.2, 7.2 and 21.2.

Brown-bellied Swallow *Notiochelidon murina murina*

10 Nono Road 3.2, 1 Antisana 13.2, 1 San Isidro 22.2, 10 Guango 23.2, 100 San Isidro 24.2 and 20 Papallacta 25.2.

Pale-footed Swallow *Notiochelidon flavipes*

2 San Isidro 22.2.

White-banded Swallow *Atticora fasciata*

20 Napo WC 14.2 and 10 Sani 18.2.

White-thighed Swallow *Neochelidon tibialis*

3 en route 9.2, 10 10.2, 5 Canandé 11.2 and 5 there 12.2 (ssp. *minima*). 1 en route 18.2 (ssp. *griseiventris*).

Southern Rough-winged Swallow *Stelgidopteryx ruficollis*

Common along the western slope and in the lowlands. Highest number 100 8.2 (ssp. *uroptygialis*). 10 Loreto Road 20.2 and 10 21.2 (ssp. *ruficollis*).

Bank Swallow *Riparia riparia riparia*

50 Río Napo 17.2 and 50 there 18.2.

Cliff Swallow *Petrochelidon pyrrhonota*

2 Río Napo 17.2 and 1 Loreto 18.2.

Barn Swallow *Hirundo rustica erythrogaster*

10 en route 10.2, 1 Napo WC 14.2, 1 Río Napo 17.2 and 2 en route 18.2.

Páramo Pipit *Anthus bogotensis bogotensis*

5 Antisana 13.2.

White-capped Dipper *Cinclus leucocephalus leuconotus*

1 en route 20.2, 2 San Isidro 24.2 and 3 Guango Trail 25.2.

Black-capped Donacobius *Donacobius atricapilla nigrodorsalis*

[Recent DNA studies strongly suggest that this species is an aberrant Sylvioid, a group that includes the babblers and the Old World warblers.]

15 Napo WC 14.2, 10 there 15.2, 5 16.2, 10 Sani 17.2 and 10 there 18.2.

Band-backed Wren *Campylorhynchus zonatus brevirostris*

2 Río Palenque 8.2, heard Manga Loma 9.2, 2 Canandé 10.2 and 2 there 12.2.

Thrush-like Wren *Campylorhynchus turdinus hypostictus*

2 heard Napo WC 14.2, 2 heard there 15.2, 2 heard Sani 17.2, 5 Wildsumaco 19.2 and 1 heard there 20.2.

Grey-mantled Wren *Odontorchilus branickii branickii*

1 Wildsumaco 19.2.

Rufous Wren *Cinnycerthia unirufa unibrunnea*

2 San Isidro 24.2 and 1 Guango Trail 25.2.

Sharpe's Wren (Sepia-brown Wren) *Cinnycerthia olivascens*

[Formerly treated as conspecific with Peruvian Wren and Fulvous Wren]

4 Bellavista 5.2.

Whiskered Wren *Thryothorus mystacalis mystacalis*

2 Río Palenque 8.2 and 2 heard Botorosa Road, Canandé 12.2.

Plain-tailed Wren *Thryothorus euophrys*

3 heard Nono Road 3.2, 3 Bellavista 4.2 and 2 heard there 5.2 (ssp. *euophrys*). 1 heard Guango Lodge 23.2 and 1 heard San Isidro 24.2 (ssp. *longipes*).

Coraya Wren *Thryothorus coraya griseipectus*

3 heard Wildsumaco 19.2, 2 there 20.2 and 3 heard El Para 21.2.

Bay Wren *Thryothorus nigricapillus nigricapillus*

4 Lower Milpe Road 7.2, 2 Río Palenque 9.2, 2 heard Canandé 11.2 and 5 heard there 12.2.

Stripe-throated Wren *Thryothorus leucopogon leucopogon*

2 Manga Loma 10.2 and 3 Canandé 11.2.

Buff-breasted Wren *Thryothorus leucotis peruanus*

2 Napo WC 16.2.

House Wren *Troglodytes aedon albicans*

[Recent DNA analyses indicate that this species should be split into three species. This subspecies then belongs to **Southern House Wren** *T. musculus*]

Widespread in low numbers, seen or heard 17 days. Highest number 10 10.2.

Mountain Wren *Troglodytes solstitialis solstitialis*

2 Bellavista 5.2, 5 Guango 23.2, 1 San Isidro 24.2 and 1 Guango Trail 25.2.

Sedge Wren *Cistothorus platensis aequatorialis*

[Complex specific and subspecific taxonomy. Subspecies form three geographical groups. The species could probably be divided into 3-5 species. Birds in Ecuador belong to the Scaly-breasted *aequatorialis* group.]

5 Antisana 13.2, 5 heard Papallacta Pass 23.2 and 3 heard Papallacta 25.2.

White-breasted Wood-Wren *Henicorhina leucosticta inornata*

3 heard Séptimo Paraíso 5.2, 2 heard there 6.2, 10 seen or heard Bellavista 7.2, 1 heard Séptimo Paraíso 8.2, 1 heard Río Palenque 9.2 and 2 heard Manga Loma 10.2.

Grey-breasted Wood-Wren *Henicorhina leucophrys leucophrys*

5-10 daily on the upper Andean slopes and in the central valley.

Scaly-breasted Wren (Southern Nightingale-Wren) *Microcerculus marginatus*

[Separated from (Northern) Nightingale-wren, *M. philomela*. Northern subspecies of Scaly-breasted Wren may be a separate species compared to the southern *marginatus* group. In Ecuador the western slope birds (ssp. *occidentalis* and *taeniatus*) belong to the northern group and eastern birds to the southern *marginatus* group. Recent DNA analysis even suggests that subspecies *marginatus* north and south of the Amazon river represent two separate species.]

1 heard Lower Milpe Road 7.2, 1 heard Río Palenque 8.2, 1 heard there 9.2, 1 heard Manga Loma 10.2, 4 Canandé 11.2, 1 heard there 12.2, 1 heard Napo WC 15.2, 1 heard Sani 16.2 and 1 heard there 17.2.

Wing-banded Wren *Microcerculus bambla albigularis*

4 Wildsumaco 19.2 and 2 there 20.2.

(Song Wren) *Cyphorhinus phaeocephalus phaeocephalus*

1 heard Canandé 11.2.

Musician Wren *Cyphorhinus arada salvini*

1 heard Wildsumaco 19.2 and 2 there 20.2.

Andean Solitaire *Myadestes raloides plumbeiceps*

1 heard Bellavista 3.2, 2 Lower Tadayapa Valley 4.2, 1 heard Séptimo Paraíso 5.2 and 1 heard Refugio Paz de las Aves 6.2.

Rufous-brown Solitaire *Cichlopsis leucogenys chubbi*

3 Lower Milpe Road 7.2.

Slaty-backed Nightingale-Thrush *Catharus fuscater fuscater*

1 heard Bellavista 4.2

Spotted Nightingale-Thrush *Catharus dryas maculatus*

3 heard Wildsumaco 19.2 and 2 there 20.2.

Swainson's Thrush *Catharus ustulatus swainsoni*

Widespread in low numbers. Highest number 10 in Wildsumaco 19-20.2.

Pale-eyed Thrush *Platycichla leucops*

2 Wildsumaco 19.2.

Great Thrush *Turdus fuscater quindio*

Common on the upper Andean slopes and in the central valley. Highest number 50 3.2.

Glossy-black Thrush *Turdus serranus fuscobrunneus*

2 Bellavista 4.2, 1 Lower Tadayapa Valley 4.2 and 4 San Isidro 24.2.

Black-billed Thrush *Turdus ignobilis debilis*

Common in the eastern lowlands and foothills up to 750 m.a.s.l.

Lawrence's Thrush *Turdus lawrencii*

1 heard Napo WC 14-16.2, 1 heard Sani 16.2 and 1 heard there 18.2.

Ecuadorian Thrush *Turdus maculirostris*

1 Lower Tadayapa Valley 4.2, 5 Lower Milpe Road 7.2, 20 8.2, 10 9.2, 5 10.2 and 2 Canandé 11.2.

White-necked Thrush *Turdus albicollis spodiolaemus*

[Separated from **White-throated Thrush** *T. assimilis*, on fairly weak basis. Subspecies *daguae* sometimes separated as Dagua Thrush.]

1 heard El Para 21.2.

Tawny-faced Gnatwren *Microbates cinereiventris cinereiventris*

1 Lower Milpe Road 7.2, 1 Río Palenque 8.2, 4 Manga Loma 10.2 and 5 Canandé 11.2.

Long-billed Gnatwren *Ramphocaenus melanurus rufiventris*

1 heard Canandé 11.2.

Tropical Gnatcatcher *Polioptila plumbea bilineata*

2 Puerto Quito 8.2 and 1 there 9.2.

Slate-throated Gnatcatcher *Polioptila schistaceigula*

2 Canandé 11.2 and 3 there 12.2.

Green Jay (Inca Jay) *Cyanocorax yncas yncas*

[Sometimes split from the Central American form *luxuosus*]

5 Wildsumaco 19.2, 10 San Isidro 22.2, 3 Guango 23.2 and 5 San Isidro 24.2.

Violaceous Jay *Cyanocorax violaceus violaceus*

2 Napo WC 14.2, 1 heard there 15.2, 5 there 16.2, 2 Sani 16.2 and 5 there 18.2, 2 Loreto Road 20.2 and 2 El Para 21.2.

Turquoise Jay *Cyanolyca turcosa*

5 Bellavista 3.2, 5 there 4.2, 2 there 5.2, 6 Guango Lodge 23.2 and 5 Guango Trail 25.2.

Beautiful Jay *Cyanolyca pulchra* (Chocó endemic)

3 Lower Tandayapa Valley 4.2.

House Sparrow *Passer domesticus domesticus* (Introduced)

Has recently started to invade the west slope; 10 Los Bancos 8.2, 2 en route 9.2, 3 en route 10.2 and 1 Quito 14.2.

Brown-capped Vireo *Vireo leucophrys*

2 Mindo Loma 4.2, 3 Lower Tandayapa Valley 4.2, 5 Bellavista 5.2 and 1 Mindo Loma 6.2 (ssp. *josephae*). 3 San Isidro 22.2, 5 Guango 23.2 and 2 San Isidro 24.2 (ssp. *leucophrys*).

Red-eyed Vireo *Vireo olivaceus olivaceus*

[One of the most complex taxa in Ecuador. 3-5 subspecies occur in Ecuador, and probably these constitute more than one species.]

3 Napo WC 15.2 and 2 El Para 21.2.

Yellow-green Vireo *Vireo flavoviridis*

3 Archidona 21.2.

Lemon-chested Greenlet *Hylophilus thoracicus aemulus*

1 El Para 21.2.

Dusky-capped Greenlet *Hylophilus hypoxanthus fuscicapillus*

1 Napo WC 15.2 and 5 El Para 21.2.

Rufous-naped Greenlet *Hylophilus semibrunneus*

1 Wildsumaco 19.2 and 1 there 20.2.

Olivaceous Greenlet *Hylophilus olivaceus*

2 Wildsumaco 19.2 and 3 there 20.2.

Tawny-crowned Greenlet *Hylophilus ochraceiceps bulunensis*

1 heard Canandé 11.2.

Lesser Greenlet *Hylophilus decurtatus minor*

2 Río Palenque 8.2, 1 Canandé 10.2, , 3 there 11.2 and 1 there 12.2.

Slaty-capped Shrike-Vireo *Vireolanius leucotis mikettae*

2 heard Manga Loma 10.2 and 1 heard Canandé 11.2.

Black-billed Peppershrike *Cyclarhis nigristrostris nigristrostris*

1 Wildsumaco 19.2, 2 San Isidro 22.2 and 4 there 24.2.

Orange-crowned Euphonia *Euphonia saturata*

[Euphonias and chlorophonias are now considered belonging to the family Fringillidae (siskins, crossbills and allies) instead of the family Thraupidae (tanagers)]

10 Lower Milpe Road 7.2 and 3 Canandé 11.2.

Thick-billed Euphonia *Euphonia laniirostris hypoxantha*

1 Lower Milpe Road 7.2, 10 Río Palenque 8.2, 5 there 9.2, 2 Los Bancos 9.2, 5 Manga Loma 10.2, 1 Canandé 11.2 and 2 there 12.2.

Golden-rumped Euphonia *Euphonia cyanocephala pelzelni*

3 Calicalí 2.2.

Fulvous-vented Euphonia *Euphonia fulvicrissa purpurascens*

2 Canandé 12.2.

Bronze-green Euphonia *Euphonia mesochrysa mesochrysa*

4 Wildsumaco 19.2 and 1 there 20.2.

White-jored Euphonia *Euphonia chrysopasta chrysopasta*

2 Napo WC 14.2, 1 there 15.2 and 4 El Para 21.2.

White-vented Euphonia *Euphonia minuta minuta*

4 Archidona 21.2.

Orange-bellied Euphonia *Euphonia xanthogaster*

4 Mindo Loma 4.2, 2 Lower Tandayapa Valley 4.2, 2 Bellavista 5.2, 2 Refugio Paz de las Aves 6.2, 3 Mindo Loma 6.2 and 5 Lower Milpe Road 7.2 (ssp. *quitensis*). 2 Wildsumaco 19.2, 3 San Isidro 22.2 and 2 there 24.2 (ssp. *brevirostris*).

Rufous-bellied Euphonia *Euphonia rufiventris*

2 Napo WC 15.2, 3 Sani 16.2, 1 there 17.2 and 1 there 18.2.

Yellow-collared Chlorophonia *Chlorophonia flavirostris* (Chocó endemic)

1 heard Séptimo Paraíso 5.2, 10 Lower Tandayapa Valley 4.2, 2 heard Séptimo Paraíso 8.2, 1 heard Lower Milpe Road 7.2 and 1 heard Canandé 12.2.

Blue-naped Chlorophonia *Chlorophonia cyanea longipennis*

2 Wildsumaco 20.2.

Chestnut-breasted Chlorophonia *Chlorophonia pyrrhophrys*

4 San Isidro 24.2.

Hooded Siskin *Carduelis magellanica capitalis*

30 central valley 2.2., 20 Antisana 13.2 and 2 Quito 25.2.

Yellow-bellied Siskin *Carduelis xanthogastra*

4 en route 10.2.

Olivaceous Siskin *Carduelis olivacea*

2 Wildsumaco 19.2 and 1 there 20.2.

Lesser Goldfinch *Carduelis psaltria columbianus*

1 Nono Road 3.2.

Tropical Parula *Parula pitiayumi*

1 Mindo Loma 6.2, 3 Lower Milpe Road 7.2 and 1 Canandé 10.2 (ssp. *pacifica*). 10 Wildsumaco 19.2 and 2 there 20.2 (ssp. *alarum*).

Blackburnian Warbler *Dendroica fusca*

Widespread at higher elevations on both west and east slope. Highest number 20 at Wildsumaco 19.2.

Blackpoll Warbler *Dendroica striata*

1 male Canandé Lodge 10-12.2 (very few records from western Ecuador). 1 Napo WC 15.2, 1 Río Napo 17.2, 1 Wildsumaco 19.2 and 1 Archidona 21.2.

Cerulean Warbler *Dendroica cerulea*

2 Wildsumaco 19.2 and 2 El Para 21.2.

Olive-crowned Yellowthroat *Geothlypis semiflava semiflava*

3 en route 10.2 and 1 Botorosa Road, Canandé 12.2.

Canada Warbler *Wilsonia canadensis*

3 Wildsumaco 19.2, 3 there 20.2, 2 El Para 21.2, 5 San Isidro 22.2 and 3 there 24.2.

Slate-throated Redstart *Myioborus miniatus ballux*

Common on both west and east slope. Highest number 20 6.2.

Spectacled Redstart *Myioborus melanocephalus ruficoronatus*

2 Bellavista 5.2, 2 San Isidro 22.2, 7 Guango 23.2, 10 San Isidro 24.2, 2 Guango Trail 25.2 and 5 Papallacta 25.2.

Chocó Warbler *Basileuterus chlorophrys* (Chocó endemic)

15 Lower Milpe Road 7.2, 10 Manga Loma 10.2 and 20 Canandé 11.2.

Citrine Warbler *Basileuterus luteoviridis luteoviridis*

1 Yanacocha 3.2, 1 Guango Lodge 23.2 and 1 San Isidro 24.2.

Black-crested Warbler *Basileuterus nigrocristatus*

10 Yanacocha 3.2, 1 heard Bellavista 5.2, 1 heard San Isidro 22.2, 5 Guango 23.2, 10 San Isidro 24.2 and 1 Papallacta 25.2.

Russet-crowned Warbler *Basileuterus coronatus*

2 heard Yanacocha 3.2, 4 Bellavista 4.2 and 4 there 5.2 (ssp. *castaneiceps*). 1 heard Guango Lodge 23.2, 5 San Isidro 24.2 and 3 Guango Trail 25.2 (ssp. *orientalis*).

Three-striped Warbler *Basileuterus tristriatus nitidior*

4 Lower Tandayapa Valley 4.2, 1 heard Bellavista 5.2, 10 Refugio Paz de las Aves 6.2 and 2 San Isidro 22.2.

Buff-rumped Warbler *Basileuterus fulvicauda semicervina*

2 Río Palenque 8.2, 2 Manga Loma 10.2 and 2 Canandé 11.2.

Bananaquit *Coereba flaveola intermedia*

Widespread in the western lowlands and foothills, and in the eastern foothills. Up to 20 daily.

Chestnut-vented Conebill *Conirostrum speciosum amazonum*

2 El Para 21.2.

Cinereous Conebill *Conirostrum cinereum fraseri*

[This subspecies may be a separate species, Frasier's Conebill]

2 Calicali 2.2 and 2 Antisana 13.2.

Blue-backed Conebill *Conirostrum sitticolor sitticolor*

5 Yanacocha 3.2, 4 Guango 23.2 and 2 Papallacta 25.2.

Capped Conebill *Conirostrum albifrons atrocyaneum*

4 Bellavista 5.2, 2 Guango 23.2 and 1 San Isidro 24.2.

Magpie Tanager *Cissopis leverianus leverianus*
 1 Napo WC 14.2, 1 Río Napo 16.2, 1 Sani 17.2, 5 there 18.2, 5 Wildsumaco 19.2, 5 Loreto Road 20.2, 6 El Para 21.2 and 4 Archidona 21.2.

Grass-green Tanager *Chlorornis riefferii riefferii*
 3 Yanacocha 3.2.

Common Bush-Tanager *Chlorospingus ophthalmicus phaeocephalus*
 10 San Isidro 22.2.

Dusky Bush-Tanager *Chlorospingus semifuscus semifuscus* (Chocó endemic)
 10 Bellavista 5.2 and 1 Refugio Paz de las Aves 6.2.

Short-billed Bush-Tanager (Yellow-whiskered B-T) *Chlorospingus parvirostris huallagae*
 1 San Isidro 22.2.

Yellow-throated Bush-Tanager *Chlorospingus flavigularis*
 20 Lower Milpe Road 7.2 (ssp. *marginatus*). 5 Wildsumaco 19.2 and 10 San Isidro 22.2 (ssp. *flavigularis*).

Yellow-green Bush-Tanager *Chlorospingus flavovirens* (Chocó endemic)
 4 Canandé 11.2.

Ashy-throated Bush-Tanager *Chlorospingus canigularis signatus*
 10 Wildsumaco 20.2.

Grey-hooded Bush-Tanager *Cnemoscopus rubrirostris rubrirostris*
 1 Yanacocha 3.2, 2 Bellavista 4.2, 2 Guango 23.2 and 3 Guango Trail 25.2.

Black-capped Hemispingus *Hemispingus atropileus atropileus*
 5 Papallacta Pass 23.2.

Superciliaried Hemispingus *Hemispingus superciliaris nigrifrons*
 2 Yanacocha 3.2.

Oleaginous Hemispingus *Hemispingus frontalis frontalis*
 3 San Isidro 24.2.

Black-eared Hemispingus *Hemispingus melanotis ochraceus*
 [This western form, a Chocó endemic, sometimes treated as a separate species, Western Hemispingus, *H. ochraceus*]
 5 Bellavista 5.2.

Rufous-chested Tanager *Thlypopsis ornata ornata*
 2 Quito 25.2.

Orange-headed Tanager *Thlypopsis sordida chrysopsis*
 2 Río Napo 17.2.

Guira Tanager *Hemithraupis guira guirina*
 2 Lower Milpe Road 7.2, 3 Río Palenque 8.2, 2 Manga Loma 10.2, 2 Canandé 10.2 and 2 there 11.2.

Scarlet-and-white Tanager *Chrysothlypis salmoni* (Chocó endemic)
 1 Botorosa Road, Canandé 12.2.

Dusky-faced Tanager *Mitrospingus cassinii cassinii*
 6 Río Palenque 9.2, 1 Canandé 11.2 and 15 Botorosa Road, Canandé 12.2.

Lemon-spectacled Tanager *Chrysothlypis olivacea*
 1 Botorosa Road, Canandé 13.2.

Ochre-breasted Tanager *Chlorothraupis stolzmanni stolzmanni* (Chocó endemic)
 4 Lower Milpe Road 7.2 and 4 Canandé 11.2.

Fulvous Shrike-Tanager *Lanio fulvus peruvianus*

1 heard Wildsumaco 19.2 and 1 El Para 21.2.

Rufous-crested Tanager *Creurgops verticalis*

5 San Isidro 22.2.

Scarlet-browed Tanager *Heterospingus xanthopygius berliozi* (Chocó endemic)

5 Canandé 11.2 and 3 there 12.2.

Flame-crested Tanager *Tachyphonus cristatus fallax*

4 Sani 16.2 and 1 there 17.2.

White-shouldered Tanager *Tachyphonus luctuosus panamensis*

1 Lower Milpe Road 7.2, 2 Río Palenque 8.2, 1 there 9.2 and 5 Manga Loma 10.2.

Tawny-crested Tanager *Tachyphonus delatrii*

3 Manga Loma 10.2 and 20 Botorosa Road, Canandé 12.2.

White-lined Tanager *Tachyphonus rufus*

2 Los Bancos 9.2 and 1 en route 18.2.

Hepatic Tanager *Piranga flava lutea*

[Hepatic Tanager is sometimes separated in 3 or even 4 species. The ssp. *lutea* is then included in Highland Hepatic Tanager, *P. lutea*]

1 Río Palenque 8.2 and 1 San Isidro 24.2. The latter record is out of range, but it was seen very well, and there is an range extension on the east slope in at least southern Ecuador.

Scarlet Tanager *Piranga olivacea*

20 El Para 21.2.

Summer Tanager *Piranga rubra rubra*

Widespread in low numbers except at high altitude. Up to 5 per day.

White-winged Tanager *Piranga leucoptera ardens*

1 Lower Tandayapa Valley 4.2, 2 Lower Milpe Road 7.2 and 2 Wildsumaco 19.2.

Vermilion Tanager *Calochaetes coccineus*

1 Wildsumaco 19.2 and 3 San Isidro 22.2.

Masked Crimson Tanager *Ramphocelus nigrogularis*

10 Napo WC 14.2, 2 there 15.2 and 1 en route 18.2.

Silver-beaked Tanager *Ramphocelus carbo carbo*

Fairly common in eastern lowlands and foothills. Highest number 20 El Para 21.2.

Flame-rumped Tanager *Ramphocelus flammigerus icteronotus*

[Most likely this form should be regarded as a separate species, Lemon-rumped Tanager, *R. icteronotus*, comparable to the split of Passerini's and Cherrie's Tanager.]

Very common in western lowlands and foothills, up to 50 per day.

Blue-grey Tanager *Thraupis episcopus*

The most common tanager on the trip. Seen 19 days of 25. Up to 30 per day. Birds found around Quito are probably escaped cagebirds.

Blue-capped Tanager *Thraupis cyanocephala cyanocephala*

1 Nono Road 3.2, 1 Bellavista 4.2, 5 Lower Tandayapa Valley 4.2, 10 Bellavista 5.2 and 1 Guango Lodge 23.2.

Blue-and-yellow Tanager *Thraupis bonariensis darwinii*

2 Quito 25.2.

Palm Tanager *Thraupis palmarum*

Fairly common except at high altitude. Up to 10 per day. Subspecies *violilavata* in the west and *melanoptera* in the east.

Golden-chested Tanager *Bangsia rothschildi*

2 Canandé 11.2.

Moss-backed Tanager *Bangsia edwardsi* (Chocó endemic)

1 Mindo Cloudforest Foundation Bird Sanctuary 7.2.

Hooded Mountain-Tanager *Buthraupis montana cucullata*

10 Yanacocha 3.2, 4 Guango Lodge 23.2 and 7 Guango Trail 25.2.

Black-chested Mountain-Tanager *Buthraupis eximia chloronota*

2 Yanacocha 3.2 and 10 Papallacta 25.2.

Masked Mountain-Tanager *Buthraupis wetmorei*

3 Papallacta 25.2.

Lacrimose Mountain-Tanager *Anisognathus lacrymosus palpebrosus*

5 San Isidro 22.2.

Scarlet-bellied Mountain-Tanager *Anisognathus igniventris erythrotus*

5 Yanacocha 3.2, 2 Papallacta 23.2 and 1 there 25.2.

Blue-winged Mountain-Tanager *Anisognathus somptuosus*

2 Yanacocha 3.2, 10 Bellavista 4.2, 8 Mindo Loma 4.2, 20 Bellavista 5.2 and 20 6.2 (ssp. *cyanopterus*). 10 San Isidro 22.2 and 10 there 24.2 (ssp. *baezae*).

Black-chinned Mountain-Tanager *Anisognathus notabilis* (Chocó endemic)

6 Mindo Loma 4.2 and 6 there 6.2.

Golden-crowned Tanager *Iridosornis rufivertex rufivertex*

2 Yanacocha 3.2 and 2 Papallacta 25.2.

Buff-breasted Mountain-Tanager *Dubusia taeniata taeniata*

1 heard Guango 23.2.

Fawn-breasted Tanager *Pipraeidea melanonota venezuelensis*

1 Lower Milpe Road 7.2 and 1 San Isidro 24.2.

Glistening-green Tanager *Chlorochrysa phoenicotis* (Chocó endemic)

2 Mindo Cloudforest Foundation Bird Sanctuary 7.2.

Orange-eared Tanager *Chlorochrysa calliparaea bourcieri*

2 Wildsumaco 19.2, 10 there 20.2 and 2 San Isidro 22.2.

Turquoise Tanager *Tangara mexicana boliviana*

5 Napo WC 15.2, 2 Sani 17.2, 2 El Para 21.2 and 10 Archidona 21.2.

Grey-and-gold Tanager *Tangara palmeri* (Chocó endemic)

4 Botorosa Road, Canandé 12.2.

Paradise Tanager *Tangara chilensis chilensis*

1 Napo WC 15.2, 5 Sani 18.2, 10 Wildsumaco 19.2, 30 there 20.2 and 30 El Para 21.2.

Blue-whiskered Tanager *Tangara johannae* (Chocó endemic)

1 Canandé 11.2 and 2 there 12.2.

Green-and-gold Tanager *Tangara schrankii schrankii*

2 Sani 18.2, 2 Wildsumaco 20.2 and 2 El Para 21.2.

Emerald Tanager *Tangara florida*

1 Manga Loma 10.2, 1 Canandé 11.2 and 2 there 12.2.

Golden Tanager *Tangara arthus*

1 Bellavista 3.2, 4 Mindo Loma 4.2, 2 Lower Tandayapa Valley 4.2, 3 Bellavista 5.2, 1 Séptimo Paraíso 5.2, 3 Refugio Paz de las Aves 6.2, 5 Lower Milpe Road 7.2 and 1 Milpe Road 9.2 (ssp. *goodsoni*). 10 Wildsumaco 19.2, 2 there 20.2 and 3 San Isidro 22.2 (ssp. *aequatorialis*).

Silver-throated Tanager *Tangara icterocephala icterocephala*

2 Lower Milpe Road 7.2, 3 Los Bancos 9.2 and 2 Canandé 12.2.

Golden-eared Tanager *Tangara chrysotis*

8 Wildsumaco 19.2.

Saffron-crowned Tanager *Tangara xanθοcephala venusta*

8 San Isidro 22.2 and 15 there 24.2.

Flame-faced Tanager *Tangara parzudakii*

2 Mindo Loma 4.2, 2 Séptimo Paraíso 5.2 and 2 Lower Milpe Road 7.2 (ssp. *lunigera*). 4 San Isidro 22.2 and 8 there 24.2 (ssp. *parzudakii*).

Yellow-bellied Tanager *Tangara xanthogastra xanthogastra*

2 El Para 21.2 and 3 Archidona 21.2.

Spotted Tanager *Tangara punctata zamorae*

10 Wildsumaco 19.2 and 20 there 20.2.

Rufous-throated Tanager *Tangara rufigula* (Chocó endemic)

4 Milpe Road 9.2.

Bay-headed Tanager *Tangara gyrola*

2 Lower Milpe Road 7.2, 5 Río Palenque 8.2, 3 Canandé 11.2 and 4 there 12.2 (ssp. *nupera*). 10 Wildsumaco 19.2, 10 there 20.2 and 3 Archidona 21.2 (ssp. *catharinae*).

Rufous-winged Tanager *Tangara lavinia lavinia*

1 Botorosa Road, Canandé 12.2.

Scrub Tanager *Tangara vitriolina*

5 Guayabamba 2.2 and 1 Quito 25.2.

Golden-naped Tanager *Tangara ruficervix leucotis*

3 Bellavista 3.2, 4 Mindo Loma 4.2, 1 Bellavista 5.2, 2 Refugio Paz de las Aves 6.2 and 3 Mindo Loma 6.2.

Metallic-green Tanager *Tangara labradorides labradorides*

2 Mindo Loma 4.2.

Blue-browed Tanager *Tangara cyanotis lutleyi*

4 Mindo Loma 19.2 and 2 there 20.2.

Blue-necked Tanager *Tangara cyanicollis*

10 Lower Milpe Road 7.2, 10 Río Palenque 8.2, 3 there 9.2, 5 Canandé 11.2 and 5 there 12.2 (ssp. *cyanopygia*). 10 Wildsumaco 19.2, 5 there 20.2 and 5 Archidona 21.2 (ssp. *caeruleo-cephala*).

Golden-hooded Tanager *Tangara larvata fanny*

2 en route 10.2, 5 Canandé 10.2, 4 there 11.2 and 2 there 12.2.

Beryl-spangled Tanager *Tangara nigroviridis nigroviridis*

7 San Isidro 22.2, 5 there 24.2 and 2 Guango Trail 25.2.

Blue-and-black Tanager *Tangara vassorii vassorii*

2 Bellavista 3.2, 5 San Isidro 22.2 and 5 there 24.2.

Black-capped Tanager *Tangara heinei*

3 Lower Tandayapa Valley 4.2, 3 San Isidro 22.2 and 3 there 24.2.

Opal-rumped Tanager *Tangara velia iridina*

5 Napo WC 15.2 and 5 Sani 16.2.

Opal-crowned Tanager *Tangara callophrys*

3 Napo WC 15.2, 2 Sani 16.2 and 1 there 18.2.

Golden-collared Honeycreeper *Iridophanes pulcherrimus pulcherrimus*

4 Wildsumaco 19.2, 2 there 20.2 and 2 San Isidro 22.2.

Black-faced Dacnis *Dacnis lineata*

[The taxa on both sides of the Andes sometimes considered separate species, the western endemic subspecies *aequatorialis* then included in the species Yellow-tufted Dacnis, *D. egregia*.]

4 Purto Quito 8.2, 10 Río Palenque 8.2, 5 there 9.2, 2 Puerto Quito 9.2, 1 Canandé 11.2 and 2 there 12.2 (ssp. *aequatorialis*). 4 Napo WC 15.2, 4 Sani 16.2, 2 there 18.2, 2 Wildsumaco 20.2 and 2 Archidona 21.2 (ssp. *lineata*).

Yellow-bellied Dacnis *Dacnis flaviventer*

2 Napo WC 15.2, 2 Sani 17.2 and 4 Archidona 21.2.

Scarlet-thighed Dacnis *Dacnis venusta fuliginata*

2 Canandé 10.2, 5 there 11.2 and 4 there 12.2.

Blue Dacnis *Dacnis cayana*

2 Canandé 12.2 (ssp. *baudoana*). 1 Napo WC 15.2 (ssp. *glaucogularis*).

Scarlet-breasted Dacnis *Dacnis berlepschi* (Chocó endemic)

4 Canandé 11.2 and 3 there 12.2.

Green Honeycreeper *Chlorophanes spiza*

3 Lower Milpe Road 7.2, 2 Puerto Quito 8.2 and 1 there 9.2, 3 Río Palenque 8.2, 1 Manga Loma 10.2, 3 Canandé 11.2 and 5 there 12.2 (ssp. *exsul*). 5 Napo WC 15.2, 2 Sani 16.2, 4 there 18.2 and 2 Wildsumaco 19.2 (ssp. *caerulescens*).

Purple Honeycreeper *Cyanerpes caeruleus*

3 Lower Milpe Road 7.2, 2 Puerto Quito 8.2, 2 Canandé 11.2 and 3 there 12.2 (ssp. *chocoanus*). 3 Napo WC 15.2, 5 Sani 16.2, 2 there 18.2, 1 Wildsumaco 19.2, 2 El Para 21.2 and 1 Archidona 21.2 (ssp. *microrhynchus*).

Swallow Tanager *Tersina viridis occidentalis*

2 Lower Milpe Road 7.2, 2 Canandé 11.2 and 2 there 12.2, 5 Napo WC 14.2, 2 Loreto Road 20.2 and 1 Archidona 21.2.

Plushcap (Plush-capped Finch) *Catamblyrhynchus diadema diadema*

[Formerly treated as a monotypic family, the Plushcap's taxonomic affinities remain uncertain but probably are closest to tanagers. Since it is not a true finch, the name Plushcap is preferable]

2 Guango Lodge 23.2.

Tanager Finch *Oreothraupis arremonops* (Chocó endemic)

[The relationship with tanagers is unclear]

2 Bellavista 5.2.

Black-backed Bush-Tanager *Urothraupis stolzmanni*

10 Papallacta 25.2.

Plumbeous Sierra-Finch *Phrygilus unicolor geospizopsis*

50 Antisana 13.2 and 20 Papallacta Pass 23.2.

Ash-breasted Sierra-Finch *Phrygilus plebejus ocularis*

10 Guayabamba 2.2.

Blue-black Grassquit *Volatinia jacarina*

5 9.2, 10 en route 10.2 and 20 en route 12.2 (ssp. *peruviansis*). 10 en route 18.2, 10 Loreto Road 20.2 and 10 21.2 (ssp. *splendens*).

Caquetá Seedeater *Sporophila murallae*

2 Río Napo 17.2.

Variable Seedeater *Sporophila corvina ophthalmica*

2 Lower Tandayapa Valley 4.2, 10 Lower Milpe Road 7.2, 10 8.2, 5 9.2, 100 10.2, 2 Canandé 11.2 and 10 12.2.

Black-and-white Seedeater *Sporophila luctuosa*

2 Wildsumaco 19.2 and 5 there 20.2.

Yellow-bellied Seedeater *Sporophila nigricollis vivida*

20 Guayabamba 2.2, 5 Lower Milpe Road 7.2, 1 Séptimo Paraíso 8.2, 1 Manga Loma 9.2, 10 10.2 and 1 12.2.

Chestnut-bellied Seedeater *Sporophila castaneiventris*

4 Río Napo 16.2, 5 there 17.2, 10 Wildsumaco 19.2, 5 there 20.2 and 1 San Isidro 22.2.

Chestnut-bellied Seed-Finch *Oryzoborus angolensis torridus*

[The split of Lesser Seed-Finch, *O. angolensis*, into Chestnut-bellied and Thick-billed seems to be unwarranted, since the forms intergrade in Colombia. We follow Clements and AOU.]

3 en route 18.2, 1 El Para 21.2 and 2 Archidona 21.2.

Thick-billed Seed-Finch *Oryzoborus funereus*

[The split of Lesser Seed-Finch, *O. angolensis*, into Chestnut-bellied and Thick-billed seems to be unwarranted, since the forms intergrade in Colombia. We follow Clements and AOU.]

1 en route 10.2.

Band-tailed Seedeater *Catamenia analis soederstromi*

3 Guayabamba 2.2. and 3 Calacalf 2.2.

Páramo Seedeater *Catamenia homochroa homochroa*

3 Papallacta Pass 23.2 and 2 Papallacta 25.2.

Dull-coloured Grassquit *Tiaris obscurus pauper*

2 Guayabamba 2.2.

Yellow-faced Grassquit *Tiaris olivaceus pusillus*

1 Guayabamba 2.2 and 5 Canandé 10.2.

Slaty Finch *Haplospiza rustica rustica*

1 in the middle of the street in the small village Tandayapa 4.2 !

White-sided Flowerpiercer *Diglossa albilatera albilatera*

1 Lower Tandayapa Valley 4.2.

Glossy Flowerpiercer *Diglossa lafresnayii lafresnayii*

10 Yanacocha 3.2 and 5 Papallacta 25.2.

Black Flowerpiercer *Diglossa humeralis aterrima*

3 Yanacocha 3.2.

Deep-blue Flowerpiercer *Diglossopsis glaucus tyrianthinus*

4 Wildsumaco 19.2, 2 there 20.2 and 5 San Isidro 22.2.

Bluish Flowerpiercer *Diglossopsis caerulescens medius*

10 San Isidro 24.2.

Masked Flowerpiercer *Diglossopsis cyaneus cyaneus*

5 Yanacocha 3.2, 2 Bellavista 4.2, 2 Mindo Loma 4.2, 5 Bellavista 5.2, 5 6.2, 10 San Isidro 22.2 and 20 Guango Lodge 23.2.

Saffron Finch *Sicalis flaveola valida*

3 en route 9.2.

Grassland Yellow-Finch *Sicalis luteola bogotensis*

1 Guayabamba 2.2.

Red-capped Cardinal *Paroaria gularis gularis*

1 Napo WC 14.2, 2 Sani 16.2 and 5 there 17.2.

Pale-naped Brush-Finch *Atlapetes pallidinucha papallactae*

2 Guango 25.2 and 2 Papallacta 25.2.

Yellow-breasted Brush-Finch *Atlapetes latinuchus spodionotus*

[*Atlapetes rufinucha* is separated in 4 species, this is the most northern of them. It is called Rufous-browed B-F in BoE.]

3 Yanacocha 3.2 and 2 Papallacta Pass 23.2.

Slaty Brush-Finch *Atlapetes schistaceus schistaceus*

5 Papallacta Pass 23.2.

Tricoloured Brush-Finch *Atlapetes tricolor crassus*

2 Bellavista 3.2, 4 there 4.2, 1 heard Mindo Loma 6.2 and 2 Séptimo Paraíso 8.2.

White-winged Brush-Finch *Atlapetes leucopterus leucopterus*

2 Bellavista 4.2 and 1 Lower Tandayapa Valley 4.2.

Chestnut-capped Brush-Finch *Buarremon brunneinucha frontalis*

2 Bellavista 4.2, 3 heard Bellavista 5.2, 2 Refugio Paz de las Aves 6.2 and 2 Lower Milpe Road 7.2.

Stripe-headed Brush-Finch *Buarremon torquatus assimilis*

2 Yanacocha 3.2 and 3 Papallacta Pass 23.2.

Orange-billed Sparrow *Arremon aurantirostris occidentalis*

1 Lower Milpe Road 7.2, 4 heard Canandé 11.2 and 1 there 12.2.

Black-striped Sparrow *Arremonops conirostris striaticeps*

3 Lower Milpe Road 7.2.

Yellow-browed Sparrow *Ammodramus aurifrons aurifrons*

2 Río Napo 17.2, 2 Loreto 18.2, 2 Wildsumaco 19.2, 3 there 20.2, 2 El Para 21.2 and 5 San Isidro 22.2.

Rufous-collared Sparrow *Zonotrichia capensis costaricensis*

Common in Central Valley and on the upper west and east slope. Up to 20 per day.

Streaked Saltator *Saltator striatipectus*

[More than one species may be involved in the Neotropic population of Streaked Saltator]

3 Guayabamba 2.2 (ssp. *striatipectus*). 1 Río Palenque 8.2 (ssp. *flavidicollis*).

Greyish Saltator *Saltator coerulescens azarae*

2 Río Napo 16.2, 2 there 17.2, 2 Wildsumaco 19.2 and 1 El Para 21.2.

Buff-throated Saltator *Saltator maximus maximus*

Common in western lowlands and foothills. 2 Sani 16.2 and 1 Archidona 21.2.

Slate-coloured Grosbeak *Saltator grossus*

2 heard Río Palenque 8.2, 3 heard there 9.2, 1 Canandé 11.2, 1 there 12.2 (ssp. *saturatus*). 5 El Para 21.2 (ssp. *grossus*).

Black-winged Saltator *Saltator atripennis*

5 Lower Milpe Road 7.2, 2 Río Palenque 8.2, 1 heard Manga Loma 9.2 and 2 Canandé 12.2.

Yellow-shouldered Grosbeak *Parkerthraustes humeralis*
1 Wildsumaco 20.2.

Golden-bellied Grosbeak (Southern Yellow G.) *Pheucticus chrysogaster chrysogaster*
[This species is separated from the two Central American forms *Ph. chrysopelus* and *Ph. tibialis*]
4 Guayabamba 2.2, 1 Calacalí 2.2, 3 Yanacocha 3.2, 1 Bellavista 4.2, 2 there 5.2, 2 en route 13.2 and 5 Quito 25.2.

Black-backed Grosbeak *Pheucticus aureoventris crissalis*
1 heard Río Palenque 8.2.

Rose-breasted Grosbeak *Pheucticus ludovicianus*
1 Wildsumaco 19.2.

Red-breasted Blackbird *Sturnella militaris*
5 Coca 14.2 and 1 Sani 17.2.

Scrub Blackbird *Dives warszewiczi warszewiczi*
2 Río Palenque 9.2.

Carib Grackle *Quiscalus lugubris lugubris*
1 Bonaire (The Netherlands Antilles) 26.2.

Shiny Cowbird *Molothrus bonariensis aequatorialis*
Common in western lowlands and foothills.

Moriche Oriole *Icterus chryscephalus*
5 Napo WC 14.2 and 2 there 15.2.

Yellow-tailed Oriole *Icterus mesomelas taczanowskii*
2 Río Palenque 9.2.

White-edged Oriole *Icterus graceannae*
1 Quito 25.2. Most likely an escape.

Yellow-rumped Cacique *Cacicus cela*
3 Lower Milpe Road 7.2 (ssp. *flavicrissus*). Common in the eastern lowlands and foothills (ssp. *cela*).

Red-rumped Cacique *Cacicus haemorrhous haemorrhous*
3 Napo WC 15.2.

Scarlet-rumped Cacique *Cacicus uropygialis*
[Sometimes split in two species, based on size differences and vocal differences. *C. uropygialis* then called **Subtropical Cacique**, and *C. microrhynchus* with the two subspecies *microrhynchus* and *pacificus* retaining the name **Scarlet-rumped Cacique**.]
10 Lower Milpe Road 7.2, 1 Río Palenque 8.2, 1 Manga Loma 10.2, 2 Canandé 11.2 (ssp. *pacificus*). 1 heard Wildsumaco 19.2, 20 San Isidro 22.2, 1 there 24.2 and 5 Guango Trail 25.2 (ssp. *urophygialis*).

Mountain Cacique *Cacicus chrysonotus leucoramphus*
[Sometimes this northern form is treated as a separate species, Northern Mountain Cacique *C. leucoramphus*, based on differences in vocalization.]
10 San Isidro 22.2, 5 Guango Lodge 23.2 and 5 Guango Trail 25.2.

Crested Oropendola *Psarocolius decumanus decumanus*
50 Napo WC 15.2, 5 Sani 18.2, 1 Wildsumaco 19.2 and 3 El Para 21.2.

Green Oropendola *Psarocolius viridis*
5 Napo WC 15.2.

Russet-backed Oropendola *Psarocolius angustifrons angustifrons*
Common in the eastern lowlands and on the eastern slope.

Oriole Blackbird *Gymnomystax mexicanus*
10 Napo WC 14.2, 5 Río Napo 16.2, 5 there 17.2 and 5 there 18.2.

MAMMAL LIST

(compiled by Joakim Johansson)

English and scientific names mainly follows Louise H. Emmons, *Neotropical Rainforest Mammals*.

Southern Two-toed Sloth *Choloepus didactylus*
1 Wildsumaco 19.2.

Long-nosed Bat *Rhynchonycteris naso*
5 Napo WC 14.2 and 5 there 15.2.

Fishing Bat *Noctilio teporinus*
10 Napo WC 14.2 and 20 there 15.2.

Black-mantle Tamarin *Saguinus nigricollis*
1 Coca – Wildsumaco 18.2 and 4 Wildsumaco 20.2.

Night Monkey *Aotus vociferans*
2 Napo WC 15.2, 1 Sani 17.2 and 2 there 18.2.

Common Squirrel Monkey *Saimiri sciureus*
10 Napo WC 15.2 and 10 there 16.2.

White-fronted Capuchin Monkey *Cebus albifrons*
5 Napo WC 15.2.

Red Howler Monkey *Alouatta seniculus*
10 Napo WC 14.2.

Mantled Howler Monkey *Alouatta palliate*
1 heard Canandé 11.2 and 1 heard there 12.2.

White-bellied Spider Monkey *Ateles belzebuth*
4 Napo WC 15.2.

Tayra *Eira barbara*
1 Bellavista 5.2.

White-lipped Peccary *Tayassu pecari*
Heard Napo WC 15.2.

Northern Amazon Red Squirrel *Sciurus igniventris*
2 Wildsumaco 19.2 and 2 there 20.2.

Southern Amazon Red Squirrel *Sciurus spadiceus*
1 Napo WC 15.2.

Red-tailed Squirrel *Sciurus granatensis*
2 Canandé 10.2 and 2 there 12.2.

Amazon Dwarf Squirrel *Microsciurus flaviventer*
1 Napo WC 15.2 and 1 there 16.2.

Western Dwarf Squirrel *Microsciurus mimulus*
1 Mindo 4.2.

Black Agouti *Dasyprocta fuliginosa*
1 Lower Milpe Road 7.2 and 1 San Isidro 24.2.

Brazilian Rabbit *Sylvilogus brasiliensis*
10 Yanacocha 3.2, 15 Antisana 13.2, 10 Papallacta Pass 23.2 and 5 Papallacta 25.2.

References. Mammals.

Louise H. Emmons. 1990. *Neotropical Rainforest Mammals*. A Field Guide.
Kent h H. Redford & John F. Eisenberg. 1999. *Mammals of the Neotropics*. Volume 3.
Rexford D. Lord. 2007. *Mammals of the South America*.
G.B. Corbett & J.E. Hill. 1991. *Mammalian Species*. Third edition.

HERPTIL LIST (amphibians and reptiles) (compiled by Joakim Johansson)

Caecilia *Caecilia guntheri*
1 Bellavista 4.2.

Crested Forest Toad *Bufo margaritifera*
1 Napo WC 15.2.

Cane Toad *Bufo marinus*
10 Río Palenque 8.2 and 2 Napo WC 15.2.

Ucayali Rocket Frog *Colostethus marchesianus*
2 Napo WC 15.2.

Spotted-legged Poison Frog *Epipedobates pictus*
1 Napo WC 15.2.

Convict Treefrog *Hyla Calcarata*
3 Napo WC 14.2.

Black Caiman *Caiman niger*
2 Napo WC 14.2. and 2 there 15.2.

Yellow-spotted River Turtle *Podocnemis unifilis*
7 Sani 16.2.

Amazon Pygmy Gecko *Pseudogonatodes guianensis*
1 Napo WC 15.2.

Amazon Forest Dragon *Enyalioides laticeps*
1 Napo WC 15.2.

Yellow-tongued Forest Anole *Anolis nitens*
3 Napo WC 15.2.

Green Anole *Anolis punctatus*
2 Canandé 11.2.

Black-spotted Skink *Mabuta nigropunctata*
1 Sani 16.2.

Forest Whiptail *Kentropyx pelviceps*
2 Río Palenque 8.2.

Parrot Snake *Leptophis ahaetulla*
1 Sani 17.2.

Small-eyed Pitviper (Lancehead) *Bothrops microphthalmus*
2 Canandé 11.2.

South American Lancehead *Bothrops atrox*
1 Río Napo 18.2.

References. Amphibians and reptiles.

R.D. Bartlett & Patricia Bartlett. 2003. *Reptiles and Amphibians of the Amazon*.

Lily O. Rodriguez & William E. Duellman. 1994. *Guide to the Frogs of the Iquitos Region, Amazonian Peru*.

Frank Norman & Erica Ramus. 1995. *A Complete Guide to Scientific and Common Names of Reptiles and Amphibians of the World*.

Martin R. Bustamante. *Ranas de la Amazonia Ecuatoriana (Web version)*.

Other interesting observations

Electric Eel *Electrophaus electricus*
3 Sani 17.2.

Itinerary [lodging]

2 Feb Guayabamba Calacalí [Hotel Sebastian, Quito]

3 Feb Yanacocha Nono Road Bellavista [Bellavista Lodge]

4 Feb Bellavista Old Mindo Road Mindo Loma Lower Tandayapa Valley [Bellavista Lodge]

5 Feb Bellavista [Hostería Séptimo Paraíso]

6 Feb Refugio Paz de las Aves Mindo Loma [Hostería Séptimo Paraíso]

7 Feb Lower Milpe Road Milpe Gardens MCF Bird Sanctuary (Mindó Cloudforest Foundation) [Hostería Séptimo Paraíso]

8 Feb Séptimo Paraíso Puerto Quito Río Palenque [Río Palenque Hotel]

9 Feb Río Palenque Milpe Road Manga Loma Puerto Quito Los Bancos [Manga Loma Guesthouse]

10 Feb Manga Loma Canandé [Río Canandé HQ Lodge]

11 Feb Canandé: Great Green Macaw Trail 7-15, Banded Ground-cuckoo Trail 15-16 [RCHQL]

12 Feb Canandé längs vägen utanför reservatet = Botorosa Road [Hotel Sebastian, Quito]

13 Feb Antisana [Hotel Sebastian, Quito]

14 Feb Napo WC (Wildlife Center) [Napo WC Lodge]

15 Feb Napo WC Río Napo [Napo WC Lodge]

16 Feb Napo WC Río Napo Sani Lodge [Sani Lodge]

17 Feb Sani Río Napo Sani Isla (trail med antpitta) [Sani Lodge]

18 Feb Sani Río Napo Vägen = Coca – Wildsumaco [Wildsumaco Lodge]

19 Feb Wildsumaco: Sumaco NP Trail f.m. Wildsumaco Reserve Wildsumaco Road e.m. [Wildsumaco Lodge]

20 Feb Wildsumaco Wildsumaco – Archidona (= Loreto Road) [Orchids Paradise]

21 Feb El Para 750 m.ö.h. Archidona (vid floden 2 km NW staden, vid lodgen Hakuna Matata) [Orchids Paradise]

22 Feb Guacamayos San Isidro [Guango Lodge]

23 Feb Guango Papallacta Pass (Las Antenas) [Cabañas San Isidro]

24 Feb San Isidro [Cabañas San Isidro]

25 Feb Guango Trail (G) Dalgång ovanför Papallacta – Quito [Hotel Sebastian, Quito]